



敬业集团
JINGYE GROUP



BRITISH
STEEL

型钢产品手册 Construction Product Range

BUILDING STRONGER FUTURES

2020

李赶坡

敬业集团董事长

第十一届全国人大代表
河北省冶金行业协会副会长
河北省冶金政研会副会长
河北省企业家协会常务理事
清华大学高级工商管理硕士



LI GANPO

Chairman of the Board of Jingye Group

Deputy to the Eleventh National People's Congress
Vice-chairman of Hebei Metallurgy Association
Vice-chairman of Hebei Metallurgy Society of Ideological and Political Work
Standing Director of Hebei Entrepreneur Association
Master of EMBA in Tsinghua University



欢迎来到英国钢铁公司

英国钢铁公司是欧洲领先的钢铁制造商之一，每年生产约**450万吨**优质钢材。公司提供高品质的钢轨、型钢、异型钢、线材及各种钢材半成品，广泛应用于全球高端工业领域。

2020年3月，英国钢铁公司被中国知名跨行业集团公司 - 敬业集团收购，从此开启了公司的新篇章。

英国钢铁已经有150多年的光荣历史，我们坚信在接下来的岁月里能够继续创造辉煌。




WELCOME TO BRITISH STEEL

British Steel is one of Europe's leading steel manufacturers, producing around 4.5 million tonnes of quality steel products every year. We supply high-quality rail, sections, special profiles, wire rod and a variety of semi-finished products for some of the most demanding applications around the world.

In March 2020, we were bought by distinguished Chinese multi-industrial company Jingye Group, beginning a new chapter in British steelmaking.

Our steelworks have existed for around 150 years and we're excited about what we can collectively achieve to build a successful future for many years to come.



敬业集团简介

敬业集团是以钢铁为主业，兼营钢材深加工、国际贸易、粉末冶金3D打印、旅游、酒店的跨行业集团公司，现有员工27000名。

2019年集团销售收入1274亿元，上缴税金45.3亿元，在全国500强企业名列217位，中国制造业排名95位。2014年9月28日，重组内蒙古乌兰浩特钢铁有限责任公司；2020年3月9日正式收购英国钢铁公司，成为跨国企业集团。“敬业”商标是中国驰名商标，敬业品牌价值312.95亿元。

敬业集团是全球大型螺纹钢生产基地、国家高强钢筋生产示范企业、国家高新技术企业。成功开发了船板、桥梁板、高层建筑用钢、高强抗震螺纹钢、圆钢等系列高附加值品种钢，产品畅销国内，并出口到80多个国家和地区，应用于北京大兴国际机场、南水北调、石家庄地铁系统、雄安市民服务中心、文莱跨海大桥、巴基斯坦核电站等国内外重点工程建设中。被中国中铁、中国电建、中国路桥、中国建筑等多家央企列为优秀供应商。

敬业集团将认真贯彻党的十九大精神及习近平新时代中国特色社会主义思想，在各级党委、政府指引下，持续推进转型升级，坚持绿色发展高质量发展，按企业“四化”部署，打造中国建筑精品钢铁基地、循环经济示范园、钢材深加工基地与高新技术产业基地，做大钢材深加工、国际贸易、高科技、康养旅游四大板块，利用收购英钢契机，统筹国内外资源做全球钢材和金属制品供应服务商、全球小矿种及各种能源贸易商，朝着国内效益最好、国际一流的企业集团目标大步迈进！

Jingye Group profile

Jingye Group is a multi-industry group mainly engaged in steel business, complemented by steel deep processing, international trade, powder metallurgy and 3D printing, tourism and hospitality businesses. It's currently staffed with 27,000 employees.

In 2019, the Group's sales revenue reached 127.4 billion yuan, and taxes paid amounted to 4.53 billion yuan. It ranks 217th among the top 500 companies in China and 95th in the manufacturing industry in China. On September 28, 2014, the Group reorganized Inner Mongolia Ulanhot Steel Co., Ltd.; On March 9, 2020, the Group became a multinational enterprise group with the acquisition of British Steel Limited. The "Jingye" trademark is a well known trademark in China, JINGYE brand value 31.295 billion yuan.

Jingye Group is a large global steel rebar production base, a national high-strength steel bar production demonstration enterprise, and a national high-tech enterprise. The Group has successfully developed a series of high value-added steels such as ship plates, bridge plates, high-rise building steels, high-strength seismic rebars and round steels. The products are sold well in China and exported to more than 80 countries and regions. They are applied to the construction of Beijing Daxing International Airport, South-to-North Water Diversion Project, Shijiazhuang Subway System, Xiong'an Citizen Service Center, Brunei Cross-sea Bridge, Pakistan Nuclear Power Plant and other key projects at home and abroad. The Group has been listed as an excellent supplier by many central enterprises, including China Railway, China Power Construction, China Road and Bridge and China Construction.

To conscientiously implement the spirit of the 19th National Congress of the Communist Party of China and Xi Jinping's thought of socialism with Chinese characteristics in the new era, the Group will continuously advance transformation and upgrading as guided by the Party committees and governments at all levels, and insist on green development and high-quality development. According to the corporate strategy of Intelligence, Customer Centralization Internationalization, and Asset Light Model, the Group will build a high-quality steel base in China, a demonstration park of circular economy, a steel deep processing base and a high-tech industry base. The Group will continually expand the four sectors of steel deep processing, international trade, high technology and recreational tourism, and integrate domestic and international resources via the acquisition of British Steel Limited. Giving full play to its role as a global supplier of steel and metal products, a global trader of small minerals and various energy sources, the Group will march toward the goal of the most economically-efficient enterprise in China and an international first-class enterprise!

市场应用

公司按照国际标准制造各种产品，广泛应用于各种行业和领域，为日新月异的世界作出了巨大贡献。

公司生产的钢材帮助建造了一些世界上最具标志性，且举世瞩目的项目，包括：

- 伦敦碎片大厦
- 伦敦横贯铁路
- 吉隆坡双子塔
- 伊斯坦布尔卡米利卡塔
- 纽约洋基体育场
- 海洋和谐号游轮

THE MARKETS WE SERVE

Our wide range of products, manufactured to internationally recognised standards, are used in many markets and demanding applications, helping share the modern world we see around us every day.

Our steel has helped build some of the world's most iconic and awe-inspiring projects, including:

- The Shard, London
- Crossrail, London
- Petronas Towers, Kuala Lumpur
- Camlica Tower, Istanbul
- Yankees Stadium, New York
- Harmony of the Seas cruise ship

汽车领域
Automotive



建筑行业
Construction



能源和电力
Energy & Power



施工与土方工程设备
Construction & Earthmoving Equipment



国防与安全
Defence & Security



铁路
Rail Infrastructure



消费品
Consumer Goods



目录

关于型钢

- 1 英标型钢
 - 窄翼缘H型钢
 - 宽翼缘H型钢
 - 承重桩
 - 平行翼缘槽钢
 - 工字钢
 - 不等边角钢
 - 等边角钢
- 2 美标型钢
 - 美标宽翼缘H型钢 (W)
 - 美标宽翼缘承重桩 (HP)
- 3 欧标型钢
 - 欧标工字钢 (IPE)
 - 欧标宽翼缘H型钢 (HE)
- 4 服务中心和分销机构
- 5 联系方式

7
8
9
12
13
14
15
15
16
18
19
24
25
26
27
29
31

CONTENTS

ABOUT CONSTRUCTION

- 1 UK sections
 - Universal beams
 - Universal columns
 - Universal bearing piles
 - Parallel flange channels
 - Asymmetric beams
 - Unequal angles
 - Equal angles
- 2 American sections
 - American wide flange beams (W)
 - American wide flange bearing piles (HP)
- 3 European sections
 - European I beams (IPE)
 - European wide flange beams (HE)
- 4 Service centres and distribution facilities
- 5 Contacts

7
8
9
12
13
14
15
15
16
18
19
24
25
26
27
29
31



关于型钢

我们为建筑行业提供各种范围的结构型钢。我们的型钢已应用于世界上一些最具标志性的建筑物和桥梁。

我们的产品MADE IN UK，已获得CE认证，并通过了最高标准的检测，一直为全球建筑市场提供优质和放心的服务。

作为英国唯一的重型型钢制造商，我们有两个工厂，以及进一步的加工设施，使我们能够提供全面的产品系列，包括按客户要求定制生产。

斯肯索普和提赛德工厂的轧机可提供标准尺寸轧制产品，并且提供抛丸和喷漆处理。

公司销售办事处遍布全球，可为客户提供高标准的服务和产品，并且严格按照客户的要求制造和交付。

英国钢铁公司为CPR注册的制造商，可为产品提供建筑产品法规(CPR)规定的相关检测证书。

我们的检测标准均按照BS EN10025-2的要求进行，并完全符合CPR要求。

ABOUT CONSTRUCTION

We supply a wide range of structural sections to the construction industry. Our sections have constructed some of the most iconic buildings and bridges around the world.

Produced in the UK, our products are CE marked and tested to the highest standards, providing quality and reassurance to the global construction market.

As the only UK manufacturer of heavy sections, we have 2 mills, as well as further processing facilities, which enable us to offer a comprehensive product range. This includes bespoke sections, which are rolled frequently.

Standard dimensions are supplied in the as-rolled condition from our mills in Scunthorpe and Teesside, and can be shot-blasted and primed.

Supported by our sales offices around the world, we take pride in offering high levels of customer service and quality products that are manufactured and delivered to customers' exact requirements.

In line with Construction Products Regulations (CPR), material used in construction must have a test certificate showing results at the appropriate test temperature, supplied by a CPR-registered manufacturer such as British Steel.

Our full section range is tested in accordance with the requirements of BS EN10025-2 and is legally compliant with CPR.



1 英标型钢

UK SECTIONS




1 英标型钢 UK SECTIONS

窄翼缘H型钢

符合EN 10025-2 标准
公称尺寸符合EN 10365:2017 (如适用)
公差符合EN 10034:1993

Universal Beams

Material to EN 10025-2
Nominal dimensions to EN 10365:2017 (where applicable)
Tolerance EN 10034:1993




外形尺寸 Designation	米重 Mass per metre	型钢高度 Depth of section	型钢宽度 Width of section	厚度 Thickness		圆角半径 Root radius	腹板高度 Depth between fillets
				腹板 of web	翼缘 of flange		
系列尺寸 Serial size	kg/m	D	B	t	T	r	d
		mm	mm	mm	mm	mm	mm
127 x 76 x 13	13.0	127.0	76.0	4.0	7.6	7.6	96.6
152 x 89 x 16	16.0	152.4	88.7	4.5	7.7	7.6	121.8
178 x 102 x 19	19.0	177.8	101.2	4.8	7.9	7.6	146.8
203 x 102 x 23	23.1	203.2	101.8	5.4	9.3	7.6	169.4
203 x 133 x 25	25.1	203.2	133.2	5.7	7.8	7.6	172.4
203 x 133 x 30	30.0	206.8	133.9	6.4	9.6	7.6	172.4
254 x 102 x 22	22.0	254.0	101.6	5.7	6.8	7.6	225.2
254 x 102 x 25	25.2	257.2	101.9	6.0	8.4	7.6	225.2
254 x 102 x 28	28.3	260.4	102.2	6.3	10.0	7.6	225.2
254 x 146 x 31	31.1	251.4	146.1	6.0	8.6	7.6	219.0
254 x 146 x 37	37.0	256.0	146.4	6.3	10.9	7.6	219.0
254 x 146 x 43	43.0	259.6	147.3	7.2	12.7	7.6	219.0
305 x 102 x 25	24.8	305.1	101.6	5.8	7.0	7.6	275.9
305 x 102 x 28	28.2	308.7	101.8	6.0	8.8	7.6	275.9
305 x 102 x 33	32.8	312.7	102.4	6.6	10.8	7.6	275.9
305 x 127 x 37	37.0	304.4	123.4	7.1	10.7	8.9	265.2
305 x 127 x 42	41.9	307.2	124.3	8.0	12.1	8.9	265.2
305 x 127 x 48	48.1	311.0	125.3	9.0	14.0	8.9	265.2
305 x 165 x 40	40.3	303.4	165.0	6.0	10.2	8.9	265.2
305 x 165 x 46	46.1	306.6	165.7	6.7	11.8	8.9	265.2
305 x 165 x 54	54.0	310.4	166.9	7.9	13.7	8.9	265.2
356 x 171 x 45	45.0	351.4	171.1	7.0	9.7	12.7	306.6
356 x 171 x 51	51.0	355.0	171.5	7.4	11.5	12.7	306.6
356 x 171 x 57	57.0	358.0	172.2	8.1	13.0	12.7	306.6
356 x 171 x 67	67.1	363.4	173.2	9.1	15.7	12.7	306.6
406 x 140 x 39	39.0	398.0	141.8	6.4	8.6	12.7	355.4
406 x 140 x 46	46.0	403.2	142.2	6.8	11.2	12.7	355.4
406 x 140 x 53	53.3	406.6	143.3	7.9	12.9	12.7	355.4
406 x 178 x 54	54.1	402.6	177.7	7.7	10.9	12.7	355.4
406 x 178 x 60	60.1	406.4	177.9	7.9	12.8	12.7	355.4
406 x 178 x 67	67.1	409.4	178.8	8.8	14.3	12.7	355.4
406 x 178 x 74	74.2	412.8	179.5	9.5	16.0	12.7	355.4
406 x 178 x 85	85.3	417.2	181.9	10.9	18.2	12.7	355.4
457 x 152 x 52	52.3	449.8	152.4	7.6	10.9	12.7	402.6
457 x 152 x 60	59.8	454.6	152.9	8.1	13.3	12.7	402.6
457 x 152 x 67	67.2	458.0	153.8	9.0	15.0	12.7	402.6
457 x 152 x 74	74.2	462.0	154.4	9.6	17.0	12.7	402.6
457 x 152 x 82	82.1	465.8	155.3	10.5	18.9	12.7	402.6
457 x 191 x 67	67.1	453.4	189.9	8.5	12.7	12.7	402.6
457 x 191 x 74	74.3	457.0	190.4	9.0	14.5	12.7	402.6
457 x 191 x 82	82.0	460.0	191.3	9.9	16.0	12.7	402.6
457 x 191 x 89	89.3	463.4	191.9	10.5	17.7	12.7	402.6

1 英标型钢 UK SECTIONS

窄翼缘H型钢 (续)

Universal Beams (continued)




外形尺寸 Designation	米重 Mass per metre	型钢高度 Depth of section	型钢宽度 Width of section	厚度 Thickness		圆角半径 Root radius	腹板高度 Depth between fillets
				腹板 of web	翼缘 of flange		
				t	T		
系列尺寸 Serial size	kg/m	D	B	t	T	r	d
		mm	mm	mm	mm	mm	mm
457 x 191 x 98	98.3	467.2	192.8	11.4	19.6	12.7	402.6
457 x 191 x 106	105.8	469.2	194.0	12.6	20.6	12.7	402.6
457 x 191 x 133	133.3	480.6	196.7	15.3	26.3	12.7	402.6
457 x 191 x 161	161.4	492.0	199.4	18.0	32.0	12.7	402.6
533 x 165 x 66	65.7	524.7	165.1	8.9	11.4	12.7	476.5
533 x 165 x 74	74.7	529.1	165.9	9.7	13.6	12.7	476.5
533 x 165 x 85	84.8	534.9	166.5	10.3	16.5	12.7	476.5
533 x 210 x 82	82.2	528.3	208.8	9.6	13.2	12.7	476.5
533 x 210 x 92	92.1	533.1	209.3	10.1	15.6	12.7	476.5
533 x 210 x 101	101.0	536.7	210.0	10.8	17.4	12.7	476.5
533 x 210 x 109	109.0	539.5	210.8	11.6	18.8	12.7	476.5
533 x 210 x 122	122.0	544.5	211.9	12.7	21.3	12.7	476.5
533 x 210 x 138	138.3	549.1	213.9	14.7	23.6	12.7	476.5
533 x 312 x 150	150.6	542.5	312.0	12.7	20.3	12.7	476.5
533 x 312 x 182	181.5	550.7	314.5	15.2	24.4	12.7	476.5
533 x 312 x 219	218.7	560.3	317.4	18.3	29.2	12.7	476.5
533 x 312 x 272	273.2	577.1	320.2	21.1	37.6	12.7	476.5
610 x 178 x 82	81.8	598.6	177.9	10.0	12.8	20.0	533.0
610 x 178 x 92	92.2	603.0	178.8	10.9	15.0	20.0	533.0
610 x 178 x 100	100.3	607.4	179.2	11.3	17.2	20.0	533.0
610 x 229 x 101	101.2	602.6	227.6	10.5	14.8	20.0	533.0
610 x 229 x 113	113.0	607.6	228.2	11.1	17.3	20.0	533.0
610 x 229 x 125	125.1	612.2	229.0	11.9	19.6	20.0	533.0
610 x 229 x 140	139.9	617.2	230.2	13.1	22.1	20.0	533.0
610 x 305 x 149	149.2	612.4	304.8	11.8	19.7	20.0	533.0
610 x 305 x 179	179.0	620.2	307.1	14.1	23.6	20.0	533.0
610 x 305 x 238	238.1	635.8	311.4	18.4	31.4	20.0	533.0
686 x 254 x 125	125.2	677.9	253.0	11.7	16.2	20.0	605.5
686 x 254 x 140	140.1	683.5	253.7	12.4	19.0	20.0	605.5
686 x 254 x 152	152.4	687.5	254.5	13.2	21.0	20.0	605.5
686 x 254 x 170	170.2	692.9	255.8	14.5	23.7	20.0	605.5
762 x 267 x 134	133.9	750.0	264.4	12.0	15.5	20.0	679.0
762 x 267 x 147	146.9	754.0	265.2	12.8	17.5	20.0	679.0
762 x 267 x 173	173.0	762.2	266.7	14.3	21.6	20.0	679.0
762 x 267 x 197	196.8	769.8	268.0	15.6	25.4	20.0	679.0
838 x 292 x 176	175.9	834.9	291.7	14.0	18.8	20.0	757.3
838 x 292 x 194	193.8	840.7	292.4	14.7	21.7	20.0	757.3
838 x 292 x 226	226.5	850.9	293.8	16.1	26.8	20.0	757.3
914 x 305 x 201	200.9	903.0	303.3	15.1	20.2	19.1	824.4
914 x 305 x 224	224.2	910.4	304.1	15.9	23.9	19.1	824.4
914 x 305 x 253	253.4	918.4	305.5	17.3	27.9	19.1	824.4
914 x 305 x 289	289.1	926.6	307.7	19.5	32.0	19.1	824.4

1 英标型钢 UK SECTIONS

窄翼缘H型钢 (续)

Universal Beams (continued)



外形尺寸 Designation	米重 Mass per metre	型钢高度 Depth of section	型钢宽度 Width of section	厚度 Thickness		圆角半径 Root radius	腹板高度 Depth between fillets
				腹板 of web	翼缘 of flange		
系列尺寸 Serial size	kg/m	D	B	t	T	r	d
		mm	mm	mm	mm	mm	mm
914 x 419 x 343	343.3	911.8	418.5	19.4	32.0	24.1	799.6
914 x 419 x 388	388.0	921.0	420.5	21.4	36.6	24.1	799.6
1016 x 305 x 222	222.0	970.3	300.0	16.0	21.1	30.0	868.1
1016 x 305 x 249	248.7	980.1	300.0	16.5	26.0	30.0	868.1
1016 x 305 x 272	272.3	990.1	300.0	16.5	31.0	30.0	868.1
1016 x 305 x 314	314.3	999.9	300.0	19.1	35.9	30.0	868.1
1016 x 305 x 349	349.4	1008.1	302.0	21.1	40.0	30.0	868.1
1016 x 305 x 393	392.7	1015.9	303.0	24.4	43.9	30.0	868.1
1016 x 305 x 437	437.0	1026.1	305.4	26.9	49.0	30.0	868.1
1016 x 305 x 487	486.7	1036.3	308.5	30.0	54.1	30.0	868.1


1 英标型钢 UK SECTIONS

宽翼缘H型钢

符合EN 10025-2标准
公称尺寸符合EN 10365:2017 (如适用)
公差符合EN 10034:1993

Universal Columns

Material to EN 10025-2
Nominal dimensions to EN 10365:2017 (where applicable)
Tolerance EN 10034:1993



外形尺寸 Designation	米重 Mass per metre	型钢高度 Depth of section	型钢宽度 Width of section	厚度 Thickness		圆角半径 Root radius	腹板高度 Depth between fillets
				腹板 of web	翼缘 of flange		
系列尺寸 Serial size	kg/m	D	B	t	T	r	d
		mm	mm	mm	mm	mm	mm
152 x 152 x 23	23.0	152.4	152.2	5.8	6.8	7.6	123.6
152 x 152 x 30	30.0	157.6	152.9	6.5	9.4	7.6	123.6
152 x 152 x 37	37.0	161.8	154.4	8.0	11.5	7.6	123.6
152 x 152 x 44	44.0	166.0	155.9	9.5	13.6	7.6	123.6
152 x 152 x 51	51.2	170.2	157.4	11.0	15.7	7.6	123.6
203 x 203 x 46	46.1	203.2	203.6	7.2	11.0	12.7	155.8
203 x 203 x 52	52.0	206.2	204.3	7.9	12.5	12.7	155.8
203 x 203 x 60	60.0	209.6	205.8	9.4	14.2	12.7	155.8
203 x 203 x 71	71.0	215.8	206.4	10.0	17.3	12.7	155.8
203 x 203 x 86	86.1	222.2	209.1	12.7	20.5	12.7	155.8
203 x 203 x 100	99.6	228.6	210.3	14.5	23.7	12.7	155.8
203 x 203 x 113	113.5	235.0	212.1	16.3	26.9	12.7	155.8
203 x 203 x 127	127.5	241.4	213.9	18.1	30.1	12.7	155.8
254 x 254 x 73	73.1	254.1	254.6	8.6	14.2	20.0	185.7
254 x 254 x 89	88.9	260.3	256.3	10.3	17.3	20.0	185.7
254 x 254 x 107	107.1	266.7	258.8	12.8	20.5	20.0	185.7
254 x 254 x 132	132.0	276.3	261.3	15.3	25.3	20.0	185.7
254 x 254 x 167	167.1	289.1	265.2	19.2	31.7	20.0	185.7
305 x 305 x 97	96.9	307.9	305.3	9.9	15.4	20.0	237.1
305 x 305 x 118	117.9	314.5	307.4	12.0	18.7	20.0	237.1
305 x 305 x 137	136.9	320.5	309.2	13.8	21.7	20.0	237.1
305 x 305 x 158	158.1	327.1	311.2	15.8	25.0	20.0	237.1
305 x 305 x 198	198.1	339.9	314.5	19.1	31.4	20.0	237.1
305 x 305 x 240	240.0	352.5	318.4	23.0	37.7	20.0	237.1
305 x 305 x 283	282.9	365.3	322.2	26.8	44.1	20.0	237.1
356 x 368 x 129	129.0	355.6	368.6	10.4	17.5	20.0	280.6
356 x 368 x 153	152.9	362.0	370.5	12.3	20.7	20.0	280.6
356 x 368 x 177	177.0	368.2	372.6	14.4	23.8	20.0	280.6
356 x 368 x 202	201.9	374.6	374.7	16.5	27.0	20.0	280.6
356 x 406 x 235	235.1	381.0	394.8	18.4	30.2	20.0	280.6
356 x 406 x 287	287.1	393.6	399.0	22.6	36.5	20.0	280.6
356 x 406 x 340	339.9	406.4	403.0	26.6	42.9	20.0	280.6
356 x 406 x 393	393.0	419.0	407.0	30.6	49.2	20.0	280.6
356 x 406 x 467	467.0	436.6	412.2	35.8	58.0	20.0	280.6
356 x 406 x 551	551.0	455.6	418.5	42.1	67.5	20.0	280.6
356 x 406 x 634	633.9	474.6	424.0	47.6	77.0	20.0	280.6


1 英标型钢 UK SECTIONS

承重桩

符合EN 10025-2标准
公称尺寸符合EN 10365:2017 (如适用)
公差 EN 10279:2000

Universal Bearing Piles

Material to EN 10025-2
Nominal dimensions to EN 10365:2017 (where applicable)
Tolerance EN 10034:1993



外形尺寸 Designation	米重 Mass per metre	型钢高度 Depth of section	型钢宽度 Width of section	厚度 Thickness		圆角半径 Root radius	腹板高度 Depth between fillets
				腹板 of web	翼缘 of flange		
系列尺寸 Serial size	kg/m	D	B	t	T	r	d
		mm	mm	mm	mm	mm	mm
203 x 203 x 45	44.9	200.2	205.9	9.5	9.5	10.2	160.8
203 x 203 x 54	53.9	204.0	207.7	11.3	11.4	10.2	160.8
254 x 254 x 63	63.0	247.1	256.6	10.6	10.7	20.0	185.7
254 x 254 x 71	71.0	249.7	258.0	12.0	12.0	20.0	185.7
254 x 254 x 85	85.1	254.3	260.4	14.4	14.3	20.0	185.7
305 x 305 x 79	78.9	299.3	306.4	11.0	11.1	20.0	237.1
305 x 305 x 88	88.0	301.7	307.8	12.4	12.3	20.0	237.1
305 x 305 x 95	94.9	303.7	308.7	13.3	13.3	20.0	237.1
305 x 305 x 110	110.0	307.9	310.7	15.3	15.4	20.0	237.1
305 x 305 x 126	126.1	312.3	312.9	17.5	17.6	20.0	237.1
305 x 305 x 149	149.1	318.5	316.0	20.6	20.7	20.0	237.1
305 x 305 x 186	186.0	328.3	320.9	25.5	25.6	2.0	273.1
305 x 305 x 223	222.9	337.9	325.7	30.3	30.4	20.0	237.1
356 x 368 x 109	108.9	346.4	371.0	12.8	12.9	20.0	280.6
356 x 368 x 133	133.0	352.0	373.8	15.6	15.7	20.0	280.6
356 x 368 x 152	152.0	356.4	376.0	17.8	17.9	20.0	280.6
356 x 368 x 174	173.9	361.4	378.5	20.3	20.4	20.0	280.6


1 英标型钢 UK SECTIONS

平行翼缘槽钢

符合EN 10025-2标准
公称尺寸符合EN 10365:2017 (如适用)
公差 EN 10279:2000

Parallel Flange Channels

Material to EN 10025-2
Nominal dimensions to EN 10365:2017 (where applicable)
Tolerance EN 10279:2000



外形尺寸 Designation	米重 Mass per metre	型钢高度 Depth of section	型钢宽度 Width of section	厚度 Thickness		圆角半径 Root radius	腹板高度 Depth between fillets
				腹板 of web	翼缘 of flange		
				D	B		
系列尺寸 Serial size	kg/m	mm	mm	mm	mm	mm	mm
100 x 50 x 10	10.2	100	50	5.0	8.5	9	65
125 x 65 x 15	14.8	125	65	5.5	9.5	12	82
150 x 75 x 18	17.9	150	75	5.5	10.0	12	106
150 x 90 x 24	23.9	150	90	6.5	12.0	12	102
180 x 75 x 20	20.3	180	75	6.0	10.5	12	135
180 x 90 x 26	26.1	180	90	6.5	12.5	12	131
200 x 75 x 23	23.4	200	75	6.0	12.5	12	151
200 x 90 x 30	29.7	200	90	7.0	14.0	12	148
230 x 75 x 26	25.7	230	75	6.5	12.5	12	181
230 x 90 x 32	32.2	230	90	7.5	14.0	12	178
260 x 75 x 28	27.6	260	75	7.0	12.0	12	212
260 x 90 x 35	34.8	260	90	8.0	14.0	12	208
300 x 90 x 41	41.4	300	90	9.0	15.5	12	245
300 x 100 x 46	45.5	300	100	9.0	16.5	15	237
380 x 100 x 54	54.0	380	100	9.5	17.5	15	315
430 x 100 x 64	64.4	430	100	11.0	19.0	15	362


1 英标型钢 UK SECTIONS

非对称梁

材料符合EN 10025-2
标称尺寸见表格
公差符合EN 10034:1993

Asymmetric Beams

Material to EN 10025-2
Nominal dimensions as per table
Tolerance EN 10034:1993



外形尺寸 Designation	米重 Mass per metre	型钢高度 Depth of section	顶部翼缘的宽度 Width of top flange	底部翼缘的宽度 Width of bottom flange	厚度 Thickness		圆角半径 Root radius	腹板高度 Depth between fillets
					腹板 of web	翼缘 of flange		
系列尺寸 Serial size	kg/m	D	B _t	B _b	t	T	r	d
		mm	mm	mm	mm	mm	mm	mm
280 ASB 74	73.6	272	175	285	10	14	27	190
280 ASB 100*	100.3	276	184	294	19	16	27	190
280 ASB 105	104.7	288	176	286	11	22	27	190
280 ASB 124	123.9	296	178	288	13	26	27	190
280 ASB 136*	136.4	288	190	300	25	22	27	190
300 ASB 153*	152.8	310	190	300	27	24	27	208
300 ASB 155	155.4	326	179	289	16	32	27	208
300 ASB 185*	184.6	320	195	305	32	29	27	208
300 ASB 196	195.5	342	183	293	20	40	27	208
300 ASB 249*	249.2	342	203	313	40	40	27	208

弹性和塑性中性轴位置是从梁的上表面开始测量的

The elastic and plastic neutral axis position is measured from the upper surface of the beam

*这些型钢的腹板较厚，是专门改善耐火性开发的。


* These sections have been specifically developed with thicker webs for improved performance in fire

不等边角钢

符合EN 10025-2标准
公称尺寸符合EN 10056-1:2017 (如适用)
公差符合EN 10056-2:1993

Unequal angles

Material to EN 10025-2
Nominal dimensions to EN 10056-1:2017 (where applicable)
Tolerance EN 10056-2:1993



外形尺寸 Designation	米重 Mass per metre	型钢高度 Depth of section	型钢宽度 Width of section	腹板厚度 Thickness of web	圆角半径 Root radius	内圆半径 Toe radius	型钢面积 Area of section
系列尺寸 Serial size		h	b	s	r ₁	r ₂	
A x B x t	kg/m	mm	mm	mm	mm	mm	cm ₂
200 x 100 x 10	23.0	200	100	10	15	7.5	29.2
200 x 100 x 12	27.3	200	100	12	15	7.5	34.8
200 x 100 x 15	33.7	200	100	15	15	7.5	43.0
200 x 150 x 12	32.0	200	150	12	15	7.5	40.8
200 x 150 x 15	39.6	200	150	15	15	7.5	50.5
200 x 150 x 18	47.1	200	150	18	15	7.5	60.0

下列尺寸的钢材在斯金宁格罗夫的轧钢厂轧制: The following sizes are rolled at our mill in Skinningrove:

200 x 100 x 10	23.0	200	100	10
200 x 100 x 12	27.3	200	100	12
200 x 100 x 13	29.5	200	100	13
200 x 100 x 14	31.7	200	100	14
200 x 100 x 15	33.81	200	100	15
200 x 100 x 16	35.93	200	100	16
200 x 150 x 12	32.0	200	150	12
200 x 150 x 13	34.59	200	150	13
200 x 150 x 15	39.59	200	150	15
200 x 150 x 18	47.09	200	150	18


1 英标型钢 UK SECTIONS

等边角钢

钢材符合EN 10025-2
公称尺寸符合EN 10056-1:2017 (如适用)
公差符合EN 10056-2:1993

Equal angles

Material to EN 10025-2
Nominal dimensions to EN 10056-1:2017 (where applicable)
Tolerance EN 10056-2:1993



外形尺寸 Designation	米重 Mass per metre	型钢高度 Depth of section	型钢宽度 Width of section	厚度 Thickness	圆角半径 Root radius	内圆弧半径 Toe radius	型钢面积 Area of section
系列尺寸 Serial size							
A x B x t		h	b	s	r ₁	r ₂	
mm x mm x mm	kg/m	mm	mm	mm	mm	mm	cm ²
120 x 120 x 8	14.7	120	120	8	13	6.5	18.7
120 x 120 x 10	18.2	120	120	10	13	6.5	23.2
120 x 120 x 12	21.6	120	120	12	13	6.5	27.5
120 x 120 x 15	26.6	120	120	15	13	6.5	33.9
150 x 150 x 10	23.0	150	150	10	16	8.0	29.3
150 x 150 x 12	27.3	150	150	12	16	8.0	34.8
150 x 150 x 15	33.8	150	150	15	16	8.0	43.0
150 x 150 x 18	40.1	150	150	18	16	8.0	51.0
200 x 200 x 16	48.5	200	200	16	18	9.0	61.8
200 x 200 x 18	54.2	200	200	18	18	9.0	69.1
200 x 200 x 20	59.9	200	200	20	18	9.0	76.3
200 x 200 x 24	71.1	200	200	24	18	9.0	90.6


下列尺寸的钢材在斯金宁格罗夫的轧钢厂轧制: The following sizes are rolled at our mill in Skinningrove:

200 x 200 x 14	42.7	200	200	14
200 x 200 x 15	45.7	200	200	15
200 x 200 x 16	48.5	200	200	16
200 x 200 x 17	51.4	200	200	17
200 x 200 x 18	54.2	200	200	18
200 x 200 x 19	57.1	200	200	19
200 x 200 x 20	59.9	200	200	20
200 x 200 x 22	65.6	200	200	22
200 x 200 x 23	68.4	200	200	23
200 x 200 x 24	71.1	200	200	24
200 x 200 x 25	73.9	200	200	25
200 x 200 x 26	76.6	200	200	26
200 x 200 x 28	82.0	200	200	28
200 x 200 x 28.6		200	200	28.6
200 x 200 x 30	87.4	200	200	30
200 x 200 x 32		200	200	32
200 x 200 x 34	98.0	200	200	34
250 x 250 x 24	90.0	250	250	24
250 x 250 x 25	93.5	250	250	25
250 x 250 x 26	97.6	250	250	26
250 x 250 x 27	100.5	250	250	27
250 x 250 x 28	104.0	250	250	28
250 x 250 x 32	118.0	250	250	32
250 x 250 x 35	128.0	250	250	35

1 英国型钢 UK SECTIONS

等边角钢 (续)

Equal angles (continued)



英制系列
(在斯金宁格罗夫工厂轧制)

Imperial range
(rolled at Skinningrove)

外形尺寸 Designation	米重 Mass per metre	型钢高度 Depth of section	型钢宽度 Width of section	腹板厚度 Thickness of web	圆角半径 Root radius	内圆弧半径 Toe radius	型钢面积 Area of section
系列尺寸 Serial size							
A x B x t		h	b	s	r ₁	r ₂	cm ₂
mm x mm x mm	kg/m	mm	mm	mm inches	mm	mm	
203 x 203 x 12.7	39.3	203	203	12.7 1/2			
203 x 203 x 14.3		203	203	14.3 9/16			
203 x 203 x 15.9	48.7	203	203	15.9 5/8			
203 x 203 x 19	57.9	203	203	19 3/4			
203 x 203 x 22.2	67.0	203	203	22.2 7/8			
203 x 203 x 25.4	75.9	203	203	25.4 1			
203 x 203 x 28.6	84.94	203	203	28.6 1 1/8			

2 美标型钢 AMERICAN SECTIONS




2 美标型钢 AMERICAN SECTIONS

美标宽翼缘H型钢 (W)

符合 ASTM A572和ASTM A992标准
公称尺寸符合ASTM A6 (如适用)
公差符合ASTM A6

American wide flange beams (W)

Material to ASTM A572 Grade 50 and ASTM A992
Nominal dimensions to ASTM A6 (where applicable)
Tolerance ASTM A6



外形尺寸 Designation 系列尺寸 Serial size	每英尺 重量 Mass per foot lb/ft	美标公制尺寸 ASTM metric equivalent	型钢高度 Depth of section h mm	型钢宽度 Width of section b mm	厚度 Thickness		圆角半径 Root radius r mm	腹板高度 Depth between fillets d mm
					腹板 of web	翼缘 of flange		
					t _w mm	t _f mm		
W 6 x 6	15	W 150 x 150 x 22.5	152	152	5.8	6.6	10.0	118.8
W 6 x 6	20	W 150 x 150 x 29.8	157	153	6.6	9.3	10.0	118.4
W 6 x 6	25	W 150 x 150 x 37.1	162	154	8.1	11.6	10.0	118.8
W 8 x 5.25	18	W 200 x 135 x 26.6	207	133	5.8	8.4	10.0	170.2
W 8 x 5.25	21	W 200 x 135 x 31.3	210	134	6.4	10.2	10.0	169.6
W 8 x 8	31	W 200 x 200 x 46.1	203	203	7.2	11.0	10.4	160.2
W 8 x 8	35	W 200 x 200 x 52	206	204	7.9	12.6	10.4	160.0
W 8 x 8	40	W 200 x 200 x 59	210	205	9.1	14.2	10.4	160.8
W 8 x 8	48	W 200 x 200 x 71	216	206	10.2	17.4	10.4	160.4
W 8 x 8	58	W 200 x 200 x 86	222	209	13.0	20.6	10.4	160.0
W 8 x 8	67	W 200 x 200 x 100	229	210	14.5	23.7	10.4	160.8
W 8 x 8	76*	W 200 x 200 x 113	235	212.1	16.3	26.9	10.4	160.4
W 8 x 8	86*	W 200 x 200 x 128	241.4	213.9	18.1	30.1	10.4	160.4
W 10 x 4	15	W 250 x 100 x 22.3	254	102	5.8	6.9	10.0	220.2
W 10 x 4	17	W 250 x 100 x 25.3	257	102	6.1	8.4	10.0	220.4
W 10 x 4	19	W 250 x 100 x 28.4	260	102	6.4	10.0	10.0	220.4
W 10 x 5.75	22	W 250 x 145 x 32.7	258	146	6.1	9.1	10.0	220.1
W 10 x 5.75	26	W 250 x 145 x 38.5	262	147	6.6	11.2	10.0	220.0
W 10 x 5.75	30	W 250 x 145 x 44.8	266	148	7.6	13.0	10.0	219.9
W 10 x 10	49	W 250 x 250 x 73	253	254	8.6	14.2	20.0	184.6
W 10 x 10	54	W 250 x 250 x 80	256	255	9.4	15.6	20.0	184.8
W 10 x 10	60	W 250 x 250 x 89	260	256	10.7	17.3	20.0	185.4
W 10 x 10	68	W 250 x 250 x 101	264	257	11.9	19.6	20.0	184.8
W 10 x 10	72*	W 250 x 250 x 107	266.7	258.8	12.8	20.5	20.0	185.7
W 10 x 10	77	W 250 x 250 x 115	269	259	13.5	22.1	20.0	184.8
W 10 x 10	88	W 250 x 250 x 131	275	261	15.4	25.1	20.0	184.8
W 10 x 10	100	W 250 x 250 x 149	282	263	17.3	28.4	20.0	185.2
W 10 x 10	112	W 250 x 250 x 167	289	265	19.2	31.8	20.0	185.4
W 12 x 4	16	W 310 x 100 x 23.8	305	101	5.6	6.7	10.0	271.6
W 12 x 4	19	W 310 x 100 x 28.3	309	102	6.0	8.9	10.0	271.2
W 12 x 4	22	W 310 x 100 x 32.7	313	102	6.6	10.8	10.0	271.4
W 12 x 12	65	W 310 x 310 x 97	308	305	9.9	15.4	20.0	237.2
W 12 x 12	72	W 310 x 310 x 107	311	306	10.9	17.0	20.0	237.0
W 12 x 12	79	W 310 x 310 x 117	314	307	11.9	18.7	20.0	236.6
W 12 x 12	87	W 310 x 310 x 129	318	308	13.1	20.6	20.0	236.8
W 12 x 12	92*	W 310 x 310 x 137	320.5	309.2	13.8	21.7	20.0	237.1
W 12 x 12	96	W 310 x 310 x 143	323	309	14.0	22.9	20.0	237.2
W 12 x 12	106	W 310 x 310 x 158	327	310	15.5	25.1	20.0	236.8
W 12 x 12	120	W 310 x 310 x 179	333	313	18.0	28.1	20.0	236.8
W 12 x 12	133*	W 310 x 310 x 198	339.9	314.5	19.1	31.4	20.0	237.1
W 12 x 12	136	W 310 x 310 x 202	341	315	20.1	31.8	20.0	237.4
W 12 x 12	152	W 310 x 310 x 226	348	317	22.1	35.6	20.0	236.8


*非ASTM重量, 但仍由英国钢铁公司提供。

*Non-ASTM weight, but still offered by British Steel.

2 美标型钢 AMERICAN SECTIONS

美标宽翼缘H型钢 (W) (续)

American wide flange beams (W) (continued)



外形尺寸 Designation	每英尺重量 Mass per foot	美标公制尺寸 ASTM metric equivalent	型钢高度 Depth of section	型钢宽度 Width of section	厚度 Thickness		圆角半径 Root radius	腹板高度 Depth between fillets	
					腹板 of web	翼缘 of flange			
					h	b			tw
in	lb/ft		mm	mm	mm	mm	mm	mm	mm
W 12 x 12	161*	W 310 x 310 x 240	352.5	318.4	23.0	37.7	20.0	237.1	
W 12 x 12	170	W 310 x 310 x 253	356	319	24.4	39.6	20.0	236.8	
W 12 x 12	190	W 310 x 310 x 283	365	322	26.9	44.1	20.0	236.8	
W 14 x 6.75	30	W 360 x 170 x 44.6	352	171	6.9	9.8	12.7	307.0	
W 14 x 6.75	34	W 360 x 170 x 51	355	171	7.2	11.6	12.7	306.4	
W 14 x 6.75	38	W 360 x 170 x 58	358	172	7.9	13.1	12.7	306.4	
W 14 x 6.75	45*	W 360 x 170 x 67	363.4	173.2	9.1	15.7	12.7	306.6	
W 14 x 14.5	87*	W 360 x 370 x 129	355.6	368.6	10.4	17.5	20.0	280.6	
W 14 x 14.5	90	W 360 x 370 x 134	356	369	11.2	18.0	20.0	280.0	
W 14 x 14.5	99	W 360 x 370 x 147	360	370	12.3	19.8	20.0	280.4	
W 14 x 14.5	103*	W 360 x 370 x 153	362	370.5	12.3	20.7	20.0	280.6	
W 14 x 14.5	109	W 360 x 370 x 162	364	371	13.3	21.8	20.0	280.4	
W 14 x 14.5	119*	W 360 x 370 x 177	368.2	372.6	14.4	23.8	20.0	280.6	
W 14 x 14.5	120	W 360 x 370 x 179	368	374	15.0	23.9	20.0	280.2	
W 14 x 14.5	132	W 360 x 370 x 196	372	374	16.4	26.2	20.0	279.6	
W 14 x 14.5	136*	W 360 x 370 x 202	374.6	374.7	16.5	27.0	20.0	280.6	
W 14 x 16	145	W 360 x 410 x 216	375	394	17.3	27.7	20.0	279.6	
W 14 x 16	158*	W 360 x 410 x 235	381	394.8	18.4	30.2	20.0	280.6	
W 14 x 16	159	W 360 x 410 x 237	380	395	18.9	30.2	20.0	279.6	
W 14 x 16	176	W 360 x 410 x 262	387	398	21.1	33.3	20.0	280.4	
W 14 x 16	193	W 360 x 410 x 287	393	399	22.6	36.6	20.0	279.8	
W 14 x 16	211	W 360 x 410 x 314	399	401	24.9	39.6	20.0	279.8	
W 14 x 16	228*	W 360 x 410 x 340	406.4	403	26.6	42.9	20.0	280.6	
W 14 x 16	233	W 360 x 410 x 347	407	404	27.2	43.7	20.0	279.6	
W 14 x 16	257	W 360 x 410 x 382	416	406	29.8	48.0	20.0	280.0	
W 14 x 16	264*	W 360 x 410 x 393	419	407	30.6	49.2	20.0	280.6	
W 14 x 16	283	W 360 x 410 x 421	425	409	32.8	52.6	20.0	279.8	
W 14 x 16	311	W 360 x 410 x 463	435	412	35.8	57.4	20.0	280.2	
W 14 x 16	314*	W 360 x 410 x 467	436.6	412.2	35.8	58.0	20.0	280.6	
W 14 x 16	320*	W 360 x 410 x 477	427	424.4	48.0	53.6	20.0	279.8	
W 14 x 16	342	W 360 x 410 x 509	446	416	39.1	62.7	20.0	280.6	
W 14 x 16	370	W 360 x 410 x 551	455	418	42.0	67.6	20.0	279.8	
W 14 x 16	398	W 360 x 410 x 592	465	421	45.0	72.3	20.0	280.4	
W 14 x 16	426	W 360 x 410 x 634	474	424	47.6	77.1	20.0	279.8	
W 14 x 16	455	W 360 x 410 x 677	483	428	51.2	81.5	20.0	280.0	
W 14 x 16	500	W 360 x 410 x 744	498	432	55.6	88.9	20.0	280.2	
W 14 x 16	550	W 360 x 410 x 818	514	437	60.5	97.0	20.0	280.0	
W 14 x 16	605	W 360 x 410 x 900	531	442	65.9	106.0	20.0	279.0	
W 14 x 16	665	W 360 x 410 x 990	550	448	71.9	115.0	20.0	280.0	
W 14 x 16	730	W 360 x 410 x 1086	569	454	78.0	125.0	20.0	279.0	
W 16 x 5.5	26	W 410 x 140 x 38.8	403	140	6.4	8.8	12.7	360.0	
W 16 x 5.5	31	W 410 x 140 x 46.1	403	140	7.0	11.2	12.7	355.2	


*非ASTM重量, 但仍由英国钢铁公司提供。

*Non-ASTM weight, but still offered by British Steel.

2 美标型钢 AMERICAN SECTIONS

美标宽翼缘H型钢 (W) (续)

American wide flange beams (W) (continued)



外形尺寸 Designation 系列尺寸 Serial size	每英尺 重量 Mass per foot lb/ft	美标公制尺寸 ASTM metric equivalent	型钢高度 Depth of section h mm	型钢宽度 Width of section b mm	厚度 Thickness		圆角半径 Root radius r mm	腹板高度 Depth of fillets d mm
					腹板 of web	翼缘 of flange		
					t_w mm	t_f mm		
W 16 x 5.5	35*	W 410 x 140 x 53	406.6	143.3	7.9	12.9	12.7	355.4
W 16 x 7	36	W 410 x 180 x 53	403	177	7.5	10.9	12.7	355.8
W 16 x 7	40	W 410 x 180 x 60	407	178	7.7	12.8	12.7	356.0
W 16 x 7	45	W 410 x 180 x 67	410	179	8.8	14.4	12.7	355.8
W 16 x 7	50	W 410 x 180 x 75	413	180	9.7	16.0	12.7	355.6
W 16 x 7	57	W 410 x 180 x 85	417.0	181.0	10.9	18.2	12.7	355.2
W 18 x 6	35	W 460 x 150 x 52	450	152	7.6	10.8	12.7	403.0
W 18 x 6	40	W 460 x 150 x 60	455	153	8.0	13.3	12.7	403.0
W 18 x 6	46	W 460 x 150 x 68	459	154	9.1	15.4	12.7	402.8
W 18 x 6	50*	W 460 x 150 x 74	462	154.4	9.6	17.0	12.7	402.6
W 18 x 6	55*	W 460 x 150 x 82	465.8	155.3	10.5	18.9	12.7	402.6
W 18 x 7.5	45*	W 460 x 190 x 67	453.4	189.9	8.5	12.7	12.7	402.6
W 18 x 7.5	50	W 460 x 190 x 74	457	190	9.0	14.5	12.7	402.6
W 18 x 7.5	55	W 460 x 190 x 82	460	191	9.9	16.0	12.7	402.6
W 18 x 7.5	60	W 460 x 190 x 89	463	192	10.5	17.7	12.7	402.2
W 18 x 7.5	65	W 460 x 190 x 97	466	193	11.4	19.0	12.7	402.6
W 18 x 7.5	71	W 460 x 190 x 106	469	194	12.6	20.6	12.7	402.4
W 18 x 7.5	89*	W 460 x 190 x 133	480.6	196.7	15.3	26.3	12.7	402.6
W 18 x 7.5	108*	W 460 x 190 x 161	492	199.4	18.0	32.0	12.7	402.6
W 18 x 11	76	W 460 x 280 x 113	463	280	10.8	17.3	20.0	388.4
W 18 x 11	86	W 460 x 280 x 128	467	282	12.2	19.6	20.0	387.8
W 18 x 11	97	W 460 x 280 x 144	472	283	13.6	22.1	20.0	387.8
W 18 x 11	106	W 460 x 280 x 158	476	284	15.0	23.9	20.0	388.2
W 18 x 11	119	W 460 x 280 x 177	482	286	16.6	26.9	20.0	388.2
W 18 x 11	130	W 460 x 280 x 193	489	283	17.0	30.5	20.0	388.0
W 18 x 11	143	W 460 x 280 x 213	495	285	18.5	33.5	20.0	388.0
W 18 x 11	158	W 460 x 280 x 235	501	287	20.6	36.6	20.0	387.8
W 18 x 11	175	W 460 x 280 x 260	509	289	22.6	40.4	20.0	388.2
W 18 x 11	192	W 460 x 280 x 286	517	291	24.4	44.4	20.0	388.2
W 18 x 11	211	W 460 x 280 x 315	525	293	26.9	48.5	20.0	388.0
W 21 x 6.5	44	W 530 x 165 x 66	525	165	8.9	11.4	12.7	476.8
W 21 x 6.5	50	W 530 x 165 x 74	529	166	9.7	13.6	12.7	476.4
W 21 x 6.5	57	W 530 x 165 x 85	535	166	10.3	16.5	12.7	476.6
W 21 x 8.25	55	W 530 x 210 x 82	528	209	9.5	13.3	12.7	476.0
W 21 x 8.25	62	W 530 x 210 x 92	533	209	10.2	15.6	12.7	476.4
W 21 x 8.25	68	W 530 x 210 x 101	537	210	10.9	17.4	12.7	476.8
W 21 x 8.25	73	W 530 x 210 x 109	539	211	11.6	18.8	12.7	476.0
W 21 x 8.25	83	W 530 x 210 x 123	544	212	13.1	21.2	12.7	476.2
W 21 x 8.25	93	W 530 x 210 x 138	549	214	14.7	23.6	12.7	476.4
W 21 x 12.25	101	W 530 x 310 x 150	543	312	12.7	20.3	12.7	477.0
W 21 x 12.25	111	W 530 x 310 x 165	546	313	14.0	22.2	12.7	476.2
W 21 x 12.25	122	W 530 x 310 x 182	551	315	15.2	24.4	12.7	476.8


*非ASTM重量, 但仍由英国钢铁公司提供。

*Non-ASTM weight, but still offered by British Steel.

2 美标型钢 AMERICAN SECTIONS

美标宽翼缘H型钢 (W) (续)

American wide flange beams (W) (continued)



外形尺寸 Designation 系列尺寸 Serial size	每英尺 重量 Mass per foot lb/ft	美标公制尺寸 ASTM metric equivalent	型钢高度 Depth of section h	型钢宽度 Width of section b	厚度 Thickness		圆角半径 Root radius r	腹板高度 Depth between fillets d
					腹板 of web	翼缘 of flange		
					tw	tf		
in	lb/ft		mm	mm	mm	mm	mm	mm
W 21 x 12.25	132	W 530 x 310 x 196	554	316	16.5	26.3	12.7	476.0
W 21 x 12.25	147	W 530 x 310 x 219	560	318	18.3	29.2	12.7	476.2
W 21 x 12.25	166	W 530 x 310 x 248	571	315	19.0	34.5	12.7	476.6
W 21 x 12.25	182	W 530 x 310 x 272	577	317	21.1	37.6	12.7	476.4
W 24 x 7	55	W 610 x 182 x 82	599	178	10.0	12.8	20.0	533.4
W 24 x 7	62	W 610 x 182 x 92	603	179	10.9	15.0	20.0	533.0
W 24 x 7	67*	W 610 x 182 x 100	607	179.2	11.3	17.2	20.0	532.6
W 24 x 9	68	W 610 x 230 x 101	603	228	10.5	14.9	20.0	533.2
W 24 x 9	76	W 610 x 230 x 113	608	228	11.2	17.3	20.0	533.4
W 24 x 9	84	W 610 x 230 x 125	612	229	11.9	19.6	20.0	532.8
W 24 x 9	94	W 610 x 230 x 140	617	230	13.1	22.2	20.0	532.6
W 24 x 12	100*	W 610 x 300 x 149	612.4	304.8	11.8	19.7	20.0	533.0
W 24 x 12	120*	W 610 x 300 x 179	620.2	307.1	14.4	23.6	20.0	533.0
W 24 x 12	160*	W 610 x 300 x 238	635.8	311.4	18.4	31.4	20.0	533.0
W 24 x 12.75	104	W 610 x 325 x 155	611	324	12.7	19.0	20.0	533.0
W 24 x 12.75	117	W 610 x 325 x 174	616	325	14.0	21.6	20.0	532.8
W 24 x 12.75	131	W 610 x 325 x 195	622	327	15.4	24.4	20.0	533.2
W 24 x 12.75	146	W 610 x 325 x 217	628	328	16.5	27.7	20.0	532.6
W 24 x 12.75	162	W 610 x 325 x 241	635	329	17.9	31.0	20.0	533.0
W 24 x 12.75	176	W 610 x 325 x 262	641	327	19.0	34.0	20.0	533.0
W 24 x 12.75	192	W 610 x 325 x 285	647	329	20.6	37.1	20.0	532.8
W 24 x 12.75	207	W 610 x 325 x 307	653	330	22.1	39.9	20.0	533.2
W 24 x 12.75	229	W 610 x 325 x 341	661	333	24.4	43.9	20.0	533.2
W 24 x 12.75	250	W 610 x 325 x 372	669	335	26.4	48.0	20.0	533.0
W 27 x 10	84	W 690 x 250 x 125	678	253	11.7	16.3	20.0	605.4
W 27 x 10	94	W 690 x 250 x 140	684	254	21.4	18.9	20.0	606.2
W 27 x 10	102	W 690 x 250 x 152	688	254	13.1	21.1	20.0	605.8
W 27 x 10	114	W 690 x 250 x 170	693	256	14.5	23.6	20.0	605.8
W 30 x 10.5	90	W 760 x 265 x 134	750	264	11.9	15.5	20.0	679.0
W 30 x 10.5	99	W 760 x 265 x 147	753	265	13.2	17.0	20.0	679.0
W 30 x 10.5	108	W 760 x 265 x 161	758	266	13.8	19.3	20.0	679.4
W 30 x 10.5	116	W 760 x 265 x 173	762	267	14.4	21.6	20.0	678.8
W 30 x 10.5	124	W 760 x 265 x 185	766	267	14.9	23.6	20.0	678.8
W 30 x 10.5	132	W 760 x 265 x 196	770	268	15.6	25.4	20.0	679.2
W 33 x 11.5	118	W 840 x 295 x 176	835	292	14.0	18.8	20.0	757.4
W 33 x 11.5	130	W 840 x 295 x 193	840	292	14.7	21.7	20.0	756.6
W 33 x 11.5	141	W 840 x 295 x 210	846	293	15.4	24.4	20.0	757.2
W 33 x 11.5	152	W 840 x 295 x 226	851	294	16.1	26.8	20.0	757.4
W 36 x 12	135	W 920 x 310 x 201	903	304	15.2	20.1	19.1	824.6
W 36 x 12	150	W 920 x 310 x 223	911	304	15.9	23.9	19.1	825.0
W 36 x 12	160	W 920 x 310 x 238	915	305	16.5	25.9	19.1	825.0
W 36 x 12	170	W 920 x 310 x 253	919	306	17.3	27.9	19.1	825.0


*非ASTM重量, 但仍由英国钢铁公司提供。

*Non-ASTM weight, but still offered by British Steel.

2 美标型钢 AMERICAN SECTIONS

美标宽翼缘H型钢 (W) (续)

American wide flange beams (W) (continued)



外形尺寸 Designation	每英尺重量 Mass per foot	美标公制尺寸 ASTM metric equivalent	型钢高度 Depth of section	型钢宽度 Width of section	厚度 Thickness		圆角半径 Root radius	腹板高度 Depth between fillets
					腹板 of web	翼缘 of flange		
					t_w	t_f		
系列尺寸 Serial size			h	b	t_w	t_f	r	d
in	lb/ft		mm	mm	mm	mm	mm	mm
W 36 x 12	182	W 920 x 310 x 271	923	307	18.4	30.0	19.1	824.8
W 36 x 12	194	W 920 x 310 x 289	927	308	19.4	32.0	19.1	824.8
W 36 x 12	210	W 920 x 310 x 313	932	309	21.1	34.5	19.1	824.8
W 36 x 16.5	231	W 920 x 420 x 344	927	418	19.3	32.0	19.1	824.8
W 36 x 16.5	247	W 920 x 420 x 368	931	419	20.3	34.3	19.1	824.2
W 36 x 16.5	262	W 920 x 420 x 390	936	420	21.3	36.6	19.1	824.6
W 40 x 12	149	W 1000 x 300 x 222	970	300	16.0	21.1	30.0	867.8
W 40 x 12	167	W 1000 x 300 x 249	980	300	16.5	26.0	30.0	868.0
W 40 x 12	183	W 1000 x 300 x 272	990	300	16.5	31.0	30.0	868.0
W 40 x 12	211	W 1000 x 300 x 314	1000	300	19.1	35.9	30.0	868.2
W 40 x 12	235	W 1000 x 300 x 350	1008	302	21.1	40.0	30.0	868.0
W 40 x 12	264	W 1000 x 300 x 393	1016	303	24.4	43.9	30.0	868.2
W 40 x 12	294	W 1000 x 300 x 438	1026	305	26.9	49.0	30.0	868.0
W 40 x 12	327	W 1000 x 300 x 486	1036	308	30.0	54.1	30.0	867.8

*非ASTM重量，但仍由英国钢铁公司提供。

*Non-ASTM weight, but still offered by British Steel.


2 美标型钢 AMERICAN SECTIONS

美标宽翼缘承重桩(HP)

符合 ASTM A572和ASTM A992标准
公称尺寸符合ASTM A6 (如适用)
公差符合ASTM A6

American wide flange bearing piles (HP)


Material to ASTM A572 Grade 50 and ASTM A992
Nominal dimensions to ASTM A6 (where applicable)
Tolerance ASTM A6



外形尺寸 Designation	每英尺 重量 Mass per foot	美标公制尺寸 ASTM metric equivalent	型钢高度 Depth of section	型钢宽度 Width of section	厚度 Thickness		圆角半径 Root radius	腹板高度 Depth between fillets
					腹板 of web	翼缘 of flange		
					h	b		
in	lb/ft		mm	mm	mm	mm	mm	mm
HP 8 x 8	36	HP 200 x 200 x 53	204	207.7	11.3	11.4	10.4	160.4
HP 10 x 10	42	HP 250 x 250 x 62	246	256	10.7	10.5	20	185.0
HP 10 x 10	57	HP 250 x 250 x 85	254	260	14.4	14.4	20	185.2
HP 12 x 12	53	HP 310 x 310 x 79	299	306	11.0	11.0	20	237.0
HP 12 x 12	63	HP 310 x 310 x 93	303	308	13.1	13.1	20	236.8
HP 12 x 12	74	HP 310 x 310 x 110	308	310	15.5	15.4	20	237.2
HP 12 x 12	84	HP 310 x 310 x 125	312	312	17.4	17.4	20	237.2
HP 14 x 14.5	73	HP 360 x 370 x 108	346	370	12.8	12.8	20	280.4
HP 14 x 14.5	89	HP 360 x 370 x 132	351	373	15.6	15.6	20	279.8
HP 14 x 14.5	102	HP 360 x 370 x 152	356	376	17.9	17.9	20	280.2
HP 14 x 14.5	117	HP 360 x 370 x 174	361	378	20.4	20.4	20	280.2

3 欧标型钢

EUROPEAN SECTIONS




3 欧标型钢 EUROPEAN SECTIONS

欧标工字梁(IPE)

符合EN 10025-2标准
公称尺寸符合EN 10365:2017 (如适用)
公差符合EN 10034:1993

European I beams (IPE)

Material to EN 10025-2
Nominal dimensions to EN 10365:2017 (where applicable)
Tolerance EN 10034:1993



外形尺寸 Designation	系列尺寸 Serial size	米重 Mass per metre	型钢高度 Depth of section	型钢宽度 Width of section	厚度 Thickness		圆角半径 Root radius	腹板高度 Depth between fillets
					腹板 of web	翼缘 of flange		
					h	b		
in	kg/m	mm	mm	mm	mm	mm	mm	
IPE 100	100 x 55 x 8	8.1	100.0	55.0	4.1	5.7	7.0	74.6
IPE 120	120 x 65 x 10	10.4	120.0	64.0	4.4	6.3	7.0	93.4
IPE 140	140 x 73 x 13	12.9	140.0	73.0	4.7	6.9	7.0	112.2
IPE 160	160 x 82 x 16	15.8	160.0	82.0	5.0	7.4	9.0	127.2
IPE 180	180 x 91 x 19	18.8	180.0	91.0	5.3	8.0	9.0	146.0
IPE 200	200 x 100 x 22	22.4	200.0	100.0	5.6	8.5	12.0	159.0
IPE 220	220 x 110 x 26	26.2	220.0	110.0	5.9	9.2	12.0	177.6
IPE 240	240 x 120 x 31	30.7	240.0	120.0	6.2	9.8	15.0	190.4
IPE 270	270 x 135 x 36	36.1	270.0	135.0	6.6	10.2	15.0	219.6
IPE 300	300 x 150 x 42	42.2	300.0	150.0	7.1	10.7	15.0	248.6
IPE 330	330 x 160 x 49	49.1	330.0	160.0	7.5	11.5	20.0	267.0
IPE 360	360 x 170 x 57	57.1	360.0	170.0	8.0	12.7	16.0	302.6
IPE 400	400 x 180 x 66	66.3	400.0	180.0	8.6	13.5	20.0	333.0
IPE 450	450 x 190 x 78	77.6	450.0	190.0	9.4	14.6	20.0	380.8
IPE 500	500 x 200 x 91	90.7	500.0	200.0	10.2	16.0	20.0	428.0
IPE 550	550 x 210 x 106	106.0	550.0	210.0	11.1	17.2	27.0	461.6
IPE 600	600 x 220 x 122	122.0	600.0	220.0	12.0	19.0	20.0	522.0
IPE 750 x 134	762 x 267 x 134	133.9	750.0	264.0	12.0	15.5	20.0	679.0
IPE 750 x 147	762 x 267 x 147	147.2	753.0	265.0	13.2	17.0	20.0	679.0
IPE 750 x 173	762 x 267 x 173	173.7	762.0	267.0	14.4	21.6	20.0	678.8
IPE 750 x 196	762 x 267 x 196	196.9	770.0	268.0	15.6	25.4	20.0	679.2


3 欧标型钢 EUROPEAN SECTIONS

欧标宽翼缘H型钢(HE)

符合EN 10025-2标准
公称尺寸符合EN 10365:2017 (如适用)
公差符合EN 10034:1993

European wide flange beams (HE)

Material to EN 10025-2
Nominal dimensions to EN 10365:2017 (where applicable)
Tolerance EN 10034:1993




外形尺寸 Designation	系列尺寸 Serial size	米重 Mass per metre	型钢高度 Depth of section	型钢宽度 Width of section	厚度 Thickness		圆角半径 Root radius	腹板高度 Depth between fillets
					腹板 of web	翼缘 of flange		
					h	b		
	in	kg/m	mm	mm	mm	mm	mm	mm
HE 100 A	100 x 100 x 16.7	16.7	96.0	100.0	5.0	8.0	12.0	56.0
HE 100 B	100 x 100 x 20.4	20.4	100.0	100.0	6.0	10.0	12.0	56.0
HE 100 M	100 x 100 x 41.8	41.8	120.0	106.0	12.0	20.0	12.0	56.0
HE 120 A	120 x 120 x 19.9	19.9	114.0	120.0	5.0	8.0	12.0	74.0
HE 120 B	120 x 120 x 26.7	26.7	120.0	120.0	6.5	11.0	12.0	74.0
HE 120 M	120 x 120 x 52.1	52.1	140.0	126.0	12.5	21.0	12.0	74.0
HE 140 A	140 x 140 x 24.7	24.7	133.0	140.0	5.5	8.5	12.0	92.0
HE 140 B	140 x 140 x 33.7	33.7	140.0	140.0	7.0	12.0	12.0	92.0
HE 140 M	140 x 140 x 63.2	63.2	160.0	146.0	13.0	22.0	12.0	92.0
HE 160 A	160 x 160 x 30.4	30.4	152.0	160.0	6.0	9.0	15.0	104.0
HE 160 B	160 x 160 x 42.6	42.6	160.0	160.0	8.0	13.0	15.0	104.0
HE 160 M	160 x 160 x 76.2	76.2	180.0	166.0	14.0	23.0	15.0	104.0
HE 180 A	180 x 180 x 36	35.5	171.0	180.0	6.0	9.5	16.0	120.0
HE 180 B	180 x 180 x 51	51.2	180.0	180.0	8.5	14.0	16.0	120.0
HE 180 M	180 x 180 x 89	88.9	200.0	186.0	14.5	24.0	16.0	120.0
HE 200 A	200 x 200 x 42	42.3	190.0	200.0	6.5	10.0	20.0	130.0
HE 200 B	200 x 200 x 61	61.3	200.0	200.0	9.0	15.0	20.0	130.0
HE 200 M	200 x 200 x 103	103.0	220.0	206.0	15.0	25.0	20.0	130.0
HE 220 A	220 x 220 x 51	50.5	210.0	220.0	7.0	11.0	20.0	148.0
HE 220 B	220 x 220 x 72	71.5	220.0	220.0	9.5	16.0	20.0	148.0
HE 220 M	220 x 220 x 117	117.0	240.0	226.0	15.5	26.0	20.0	148.0
HE 240 A	240 x 240 x 60	60.3	230.0	240.0	7.5	12.0	20.0	166.0
HE 240 B	240 x 240 x 83	83.2	240.0	240.0	10.0	17.0	20.0	166.0
HE 240 M	240 x 240 x 157	157.0	270.0	248.0	18.0	32.0	20.0	166.0
HE 260 A	260 x 260 x 68	68.2	250.0	260.0	7.5	12.5	20.0	185.0
HE 260 B	260 x 260 x 93	93.0	260.0	260.0	10.0	17.5	20.0	185.0
HE 260 M	260 x 260 x 172	172.0	290.0	268.0	18.0	32.5	20.0	185.0
HE 280 A	280 x 280 x 76	76.4	270.0	280.0	8.0	13.0	27.0	190.0
HE 280 B	280 x 280 x 103	103.0	280.0	280.0	10.5	18.0	27.0	190.0
HE 280 M	280 x 280 x 189	189.0	310.0	288.0	18.5	33.0	27.0	190.0
HE 300 A	300 x 300 x 88	88.3	290.0	300.0	8.5	14.0	27.0	208.0
HE 300 B	300 x 300 x 117	117.0	300.0	300.0	11.0	19.0	27.0	208.0
HE 300 C	300 x 300 x 177	177.0	320.0	305.0	16.0	29.0	27.0	208.0
HE 300 M	300 x 300 x 238	238.0	340.0	310.0	21.0	39.0	27.0	208.0
HE 320 A	320 x 300 x 98	97.6	310.0	300.0	9.0	15.5	27.0	225.0
HE 320 B	320 x 300 x 127	127.0	320.0	300.0	11.5	20.5	27.0	225.0
HE 320 M	320 x 300 x 245	245.0	359.0	309.0	12.0	40.0	27.0	225.0
HE 340 A	340 x 300 x 105	105.0	330.0	300.0	9.5	16.5	27.0	243.0
HE 340 B	340 x 300 x 134	134.0	340.0	300.0	12.0	21.5	27.0	243.0
HE 340 M	340 x 300 x 248	248.0	377.0	309.0	21.0	40.0	27.0	243.0
HE 360 A	360 x 300 x 112	112.0	350.0	300.0	10.0	17.5	27.0	261.0
HE 360 B	360 x 300 x 142	142.0	360.0	300.0	12.5	22.5	27.0	261.0

3 欧标型钢 EUROPEAN SECTIONS

欧标宽翼缘H型钢(HE) (续)

European wide flange beams (HE) (continued)



外形尺寸 Designation	系列尺寸 Serial size	米重 Mass per metre	型钢高度 Depth of section	型钢宽度 Width of section	厚度 Thickness		圆角半径 Root radius	腹板高度 Depth between fillets
					腹板 of web	翼缘 of flange		
			in	kg/m	h mm	b mm	t _w mm	t _f mm
HE 360 M	360 x 300 x 250	250.0	395.0	308.0	21.0	40.0	27.0	261.0
HE 400 A	400 x 300 x 125	125.0	390.0	300.0	11.0	19.0	27.0	298.0
HE 400 B	400 x 300 x 155	155.0	400.0	300.0	13.5	24.0	27.0	298.0
HE 400 M	400 x 300 x 256	256.0	432.0	307.0	21.0	40.0	27.0	298.0
HE 450 A	450 x 300 x 123	140.0	440.0	300.0	11.5	21.0	27.0	344.0
HE 450 B	450 x 300 x 171	171.0	450.0	300.0	14.0	26.0	27.0	344.0
HE 450 M	450 x 300 x 263	263.0	478.0	307.0	21.0	40.0	27.0	344.0
HE 500 A	500 x 300 x 155	155.0	490.0	300.0	12.0	23.0	27.0	390.0
HE 500 B	500 x 300 x 187	187.0	500.0	300.0	14.5	28.0	27.0	390.0
HE 500 M	500 x 300 x 270	270.0	524.0	306.0	21.0	40.0	27.0	390.0
HE 550 A	550 x 300 x 166	166.0	540.0	300.0	12.5	24.0	27.0	438.0
HE 550 B	550 x 300 x 199	199.0	550.0	300.0	15.0	29.0	27.0	438.0
HE 550 M	550 x 300 x 278	278.0	572.0	306.0	21.0	40.0	27.0	438.0
HE 600 A	600 x 300 x 178	178.0	590.0	300.0	13.0	25.0	27.0	486.0
HE 600 B	600 x 300 x 212	212.0	600.0	300.0	15.5	30.0	27.0	486.0
HE 600 M	600 x 300 x 285	285.0	620.0	305.0	21.0	40.0	27.0	486.0
HE 650 A	650 x 300 x 190	190.0	640.0	300.0	13.5	26.0	27.0	534.0
HE 650 B	650 x 300 x 225	225.0	650.0	300.0	16.0	31.0	27.0	534.0
HE 650 M	650 x 300 x 293	293.0	668.0	305.0	21.0	40.0	27.0	534.0
HE 700 A	700 x 300 x 204	204.0	690.0	300.0	14.5	27.0	27.0	582.0
HE 700 B	700 x 300 x 241	241.0	700.0	300.0	17.0	32.0	27.0	582.0
HE 700 M	700 x 300 x 301	301.0	716.0	304.0	21.0	40.0	27.0	582.0
HE 800 A	800 x 300 x 224	224.0	790.0	300.0	15.0	28.0	27.0	680.0
HE 800 B	800 x 300 x 262	262.0	800.0	300.0	17.5	33.0	27.0	680.0
HE 800 M	800 x 300 x 317	317.0	814.0	303.0	21.0	40.0	27.0	680.0
HE 900 A	900 x 300 x 252	252.0	890.0	300.0	16.0	30.0	30.0	770.0
HE 900 B	900 x 300 x 291	291.0	900.0	300.0	18.5	35.0	30.0	770.0
HE 900 M	900 x 300 x 333	333.0	910.0	305.0	21.0	40.0	30.0	770.0
HE 1000 A	1000 x 300 x 272	272.0	990.0	300.0	16.5	31.0	30.0	868.0
HE 1000 B	1000 x 300 x 314	314.0	1000.0	300.0	19.0	36.0	30.0	868.0
HE 1000 M	1000 x 300 x 349	349.0	1008.0	302.0	21.0	40.0	30.0	868.0

4 服务中心和分销机构

SERVICE CENTRES AND DISTRIBUTION FACILITIES



4 服务中心和分销机构 OUR SERVICE CENTRES AND DISTRIBUTION FACILITIES

我们致力于为客户提供优质的服务和真正有价值的创新材料解决方案。

我们的服务中心提供分销、加工和配送服务，除英国钢铁生产的产品外，同时也储备了一系列的其他建筑钢材。

我们的提赛德服务中心是全国钢性的建筑钢材加工和分销中心，该中心与提赛德轧钢厂无缝连接，高效的生产和库存协调机制，大大提高了供货能力，缩短了交货周期。

位于利斯本的爱尔兰服务中心配备了大型热卷纵剪和开卷生产线，并可剪切、抛丸和喷漆。加工能力和丰富库存相结合，可非常灵活和迅速地满足客户需求。

同时，公司一流的设备提供了一系列加工技术：

- 定尺剪切
- 直切和斜切
- 抛丸处理
- 底漆和喷漆处理

We're committed to supplying customers with unrivalled service and innovative material solutions that are of real value.

Our service centres provide processing, service, distribution and sales support, whilst stocking a comprehensive range of key construction products, alongside our British Steel manufactured material.

Our Teesside Service Centre is a national hub for the processing and distribution of structural steel. Having benefited from significant investment, it is a truly unique facility, which is linked directly to our Teesside Beam Mill. Together, they offer superior co-ordination of production schedules and stock visibility, meaning improved product availability and shorter lead times.

Our Ireland Service Centre in Lisburn is equipped with large coil slitting and decoiling lines, together with saws and a shotblast/primer. This combination of local processing capability and an extensive range of stock ensures a flexible and responsive service.

Together, our best-in-class facilities offer an array of processing technologies:

- Cut-to-length
- Straight and mitre cutting
- Shotblasting
- Priming and painting



5 联系方式

CONTACTS

5 联系方式 CONTACTS

如果您想进一步了解产品范围或想得到帮助，请联系。

此处列出的联系方式在本文发布时是正确的。您所在地最近和最新联系方式，请访问

britishsteel.co.uk/locations。

If you want to find out more about our product range and how we can help you, please get in touch.

The contact details listed here are correct at the time of publication. For the latest details of your nearest location, please visit britishsteel.co.uk/locations.

按产品划分 By product

产品领域电子邮件联系方式 Product areas email contacts

异型钢 **Special Profiles:** specialprofiles@britishsteel.co.uk
线材 **Wire Rod:** wirerod@britishsteel.co.uk
线材加工中心 **Wire and processing:** info@fnsteel.eu
型钢 **Sections:** construction@britishsteel.co.uk
钢轨 **Rail:** rail@britishsteel.co.uk
半成品 **Semi-finished products:** semisales@britishsteel.co.uk

英国和爱尔兰地址 By UK and Ireland location

斯肯索普 Scunthorpe

Brigg Road, Scunthorpe, North Lincolnshire, DN16 1BP
T +44 (0) 1724 404040

提赛德服务中心 Teesside Service Centre

Lackenby Works, Redcar, Teesside, TS6 7RP
T +44 (0) 1642 405040
E construction@britishsteel.co.uk

斯金宁格罗夫 Skinningrove

PO Box 1, Skinningrove, Saltburn-by-the-Sea, TS13 4ET
T +44 (0) 1287 640212
E specialprofiles@britishsteel.co.uk

利斯本服务中心 Lisburn Service Centre

Steel House, Moira Road, Lisburn, BT28 2SN
T +44 (0) 2892 448208
E lisburn.sales@britishsteel.co.uk

都柏林 Dublin

Steel House, Bluebell Industrial Estate, Dublin 12
T +353 (0) 1405 0300
E dublin.sales@britishsteel.ie

纽波特 Newport

Excalibur House, No 1 Langstone Business Park,
Newport, NP18 2HJ
T +44 (0) 1633 462653 / +44(0)1633 462636
E construction@britishsteel.co.uk

沃金顿 Workington

TSP Engineering, Derwent Howe Industrial Estate, Curwen
Road, Workington CA14 3YX
T +44 (0) 1900 68000
E tsp@tsp-engineering.co.uk



其他国家地址 By country

中国 China

Nandian Town, Pingshan County, Hebei Province,
P.R. China

T +86-311-82878888 / +86-17733894427

E alen@jingyesteel.com.cn

孟加拉国 Bangladesh

T 0088-01730916601 / 0086-18236978903

E bangladesh@jingyesteel.com.cn

柬埔寨 Cambodia

T 0086-18633456868 / 00855-86680666

E kevin.liu@jingyesteel.com.cn

迪拜 Dubai

T 00971 552073261 / 0086-15233605759

E dubai@jingyesteel.com.cn

埃及 Egypt

T 0086-311-82870505 / 0086-13931890947

E alina@jingyesteel.com.cn

德国 Germany

Hansaallee 228 / Ecke Prinzenallee, 40547 Düsseldorf

T +49 (0)211 740 714-00

E germany.enquiries@britishsteel.co.uk

印度 India

T 0086-311-82870505 / 0086-18631181082

E india@jingyesteel.com.cn

印尼 Indonesia

CBD.Pluit Jakarta

T 0062-0821-10776785 / 0086-13832084742 /
0086-18631162601

E indonesia@jingyesteel.com.cn

意大利 Italy

Via Italia 44, 20900 Monza (MB)

T +39 039 387967

E italy.enquiries@britishsteel.co.uk

韩国 Korea

Seoul Yeong-eung Po-gu National Assembly Boulevard
800 Yeouido Paragon 1204

T 0082-2-7868866 / 0086-18627739412

E korea@jingyesteel.com.cn

老挝 Laos

T 0085-602056209818 / 0086-15131189377

E laos@jingyesteel.com.cn

马来西亚 Malaysia

T 0086-311-82870505 / 0086-15230148083

E ben@jingyesteel.com.cn

其他国家地址 By country

缅甸 Myanmar

No.1204, Tower A, Junction Mawtin, Lanmataw Tsp, Yangon
T 0095-9-5231998 / 0086-15097387966
E myanmar@jingyesteel.com.cn

新西兰 New Zealand

T 0086-311-82870505 / 0086-18236978903
E weidongdong@jingyesteel.com.cn

尼日利亚 Nigeria

T 00251-985201374 / 0086-13931890947
E alina@jingyesteel.com.cn

巴基斯坦 Pakistan

T 0092-3128847666 / 0086-18730217392
E pakistan@jingyesteel.com.cn

菲律宾 Philippines

T 0063-09165938860 / 0086-15032071231
E philippines@jingyesteel.com.cn

波兰 Poland

Ul. Chorzowska 150, budynek B, 40-101 Katowice
T +48 32 7841232
E poland.enquiries@britishsteel.co.uk

俄罗斯 Russia

T 0086-311-82870505 / 0086-15227847619
E russia@jingyesteel.com.cn

新加坡 Singapore

T 0086-311-82870505 / 0086-18627739412
E frank@jingyesteel.com.cn

南美 South America

T 0086-311-82870906 / 0086-13931890947
E southamerica@jingyesteel.com.cn

西班牙 Spain

Paseo de la Castellana 259C, Torre de Cristal, Planta 18,
Oficina 1811. 28046, Madrid
T +34 91 119 0581
E spain.enquiries@britishsteel.co.uk

斯里兰卡 Sri Lanka

T 0086-311-82870505 / 0086-18236978903
E weidongdong@jingyesteel.com.cn

瑞典 Sweden

Box 5044, Spinnerivägen 1, 448 51, Tollerød
E sweden.enquiries@britishsteel.co.uk

其他国家地址 By country

台湾省, 中国 **Taiwan, China**

Room 829, 5th Floor, No. 285, Section 4, Zhongxiao East Road, Taipei City, 10692

T +886 (0) 266398296

E taiwan.enquiries@britishsteel.co.uk

坦桑尼亚 **Tanzania**

T 00251-985201374 / 0086-13931890947

E tanzania@jingyesteel.com.cn

泰国 **Thailand**

90/157, Moo 15, Bangna trad rd, Bangkreaw, Bangplee, Samut Prakarn 10540

T 0066-0957276300 / 0086-15910961153

E thailand@jingyesteel.com.cn

土耳其 **Turkey**

DLT Celik Ithalat Ihracat ve Pazarlama A.S., Arnavutkoy Mah. Girgin Sok. No:1, 34345 Besiktas, Istanbul

T 0086-311-82870505 / 0086-15227847619

E turkey@jingyesteel.com.cn

美国 **USA**

1700 East Golf road suite 575, Schaumburg, IL 60173

T +1 708 8190698

E usa.enquiries@britishsteel.co.uk

越南 **Vietnam**

Park 1, Vinhomes tân cảng, 208 nguyen huu canh p 22, binh thanh, hcm, Vietnam

T 0084-0-936988060 / 0086-15911137013

E vietnam@jingyesteel.com.cn



敬业集团
JINGYE GROUP



**BRITISH
STEEL**

HBJYJT.COM

地址 | 敬业集团总部 (Jingye Group), 河北省平山县南甸镇/邮编: 050400
电话 | 0086-311-82878888/9666666

A | Nandian Town, Pingshan County, Hebei Province, P R China 050400
T | 0086-311-82878888/9666666
E | jingye@hbjyit.com

BRITISHSTEEL.CO.UK

地址 | 英国 DN16 1BP, 北林肯郡, 斯肯索普区, 布里格路, 邮政信箱1号
电话 | +44 (0)1724 404040

A | PO Box 1, Brigg Road, Scunthorpe, North Lincolnshire, DN16 1BP, UK
T | +44 (0)1724 404040

公司已尽力确保本出版物的内容准确无误。英国钢铁有限公司及其子公司和相关企业（具有2006年《公司法》所规定的企业）对被发现具有误导性的任何错误或信息不承担任何责任或义务。

英国钢铁公司版权所有 2020

英国钢铁有限公司在英国的注册号为12303256, 注册地址为位于Brigg Road, Scunthorpe, DN16 1XA的行政大楼。

Care has been taken to ensure that the contents of this publication are accurate, but British Steel Limited and its subsidiaries and associated undertakings (having the meaning set out in the Companies Act 2006) do not accept responsibility or liability for errors or information that is found to be misleading.

Copyright British Steel 2020

British Steel Limited is registered in England under number 12303256 with registered office at Administration Building, Brigg Road, Scunthorpe, DN16 1XA.

BUILDING STRONGER FUTURES

CPR:CHN:ENG:062020