




敬业集团
JINGYE GROUP

敬业蓝 加钒不平凡

JINGYE BLUE EXTRAORDINARY WITH VANADIUM



敬业蓝 螺纹钢 JINGYE BLUE REBAR

24小时服务热线 / 24-Hour Hotline
(86)0311-966666

邮箱 / E-mail
jingyesteel@hbjiyt.com

敬业集团网站 / JINGYE Group website
<http://www.hbjyjt.com>

地址 / Address
河北省平山县南甸镇/NanDian Town, Pingshan County, Hebei Province

主编 / Editor-in-Chief
销售总公司/Sales Corporation

设计 / Designer
河北盘古网络技术有限公司/Hebei Pangu Network Technology Co., Ltd.

版次 / Edition
2026年6月第1版/First Edition, June 2026

印次 / Print Run
2026年6月第1次印刷/First Printing, June 2026

邮编 / Zip code
050400

敬业电商网站 / JINGYE e-commerce website
<http://steel.jingyebuy.com>

印量 / Print Run
1000本/1000 Copies

编号 / No.
敬准/Jingzhun 2026-XSJC-01

敬业集团
JINGYE GROUP



敬业集团公众号
JINGYE Group
Official WeChat Account



客户留资
Customer
Lead Generation



敬业电商平台
JINGYE
E-commerce Platform



不生锈工艺加钒不平凡
rust-free craftsmanship extraordinary with vanadium

目录 — CONTENTS

01 01/04

品牌开篇 · 一片蓝天的承诺

Brand introduction · A commitment to a vast blue sky

- ◎ 一片蓝天的承诺 01
A commitment to a vast blue sky
- ◎ 敬业蓝是什么 01
What is JINGYE Blue
- ◎ 敬业集团简介 02
Introduction to JINGYE Group

04 15/16

工程信赖 · 铸就百年根基

Engineering trust · Forging a century-long foundation

- ◎ 参建工程 15
Participate in project construction

02 05/10

核心价值 · 加钒不平凡

Core value · Extraordinary with vanadium

- ◎ 螺纹钢的优势 07
Advantages of rebar
- ◎ 螺纹钢的生产技术 09
Production technology of rebar
- ◎ 绿色精品高强钢筋 10
Green premium high-strength deformed steel bar

05 17/18

实力背书 · 荣誉与合作

Strength endorsement · Honor and cooperation

- ◎ 荣誉资质 17
Honors and qualifications
- ◎ 战略合作伙伴 18
Strategic partner

03 11/14

技术说明 · 恪守标准

Technical description · Adhering to standards

- ◎ 螺纹钢产品说明书 11
Specification for deformed steel bar products

06 19/22

服务承诺 · 客户至上

Service commitment · Customer first

- ◎ 服务五大承诺 19
Five major commitments to service
- ◎ 全球服务 21
Global services

敬业蓝
加钒不平凡

JINGYE Blue,
Extraordinary With Vanadium

品牌开篇 篇章一

一片蓝天的承诺

BRAND INTRODUCTION: A COMMITMENT TO A VAST BLUE SKY

一片蓝天的承诺 / A commitment to a vast blue sky

头顶蓝天，是民生期盼；绿水青山，是国之大者。敬业集团坚守绿水青山就是金山银山理念，以绿色制造为初心，深耕钢铁主业，锚定低碳发展。从环保投入超百亿、超低排放先行，到植被覆盖率50%的花园式工厂，敬业以行动守护蓝天。2016年，敬业蓝应运而生——以不穿水加钒工艺，筑造耐腐蚀、强韧性、更耐久的精品螺纹钢，把对蓝天的承诺，熔铸进每一根钢筋，守护每一座建筑，造福每一方家园。

Overhead is the expectation of people; lucid waters and lush mountains are the country's top priority. Adhering to the concept that lucid waters and lush mountains are invaluable assets, JINGYE Group takes green manufacturing as its original aspiration, deeply engages in the steel industry, and focuses on low-carbon development. With over RMB 10 billion invested in environmental protection, taking the lead in ultra-low emissions, and building garden-style factories with 50% vegetation coverage, JINGYE protects the blue sky with actions. In 2016, JINGYE Blue came into being. Adopting the non-water-cooled vanadium-added process, create high-quality deformed steel bars with corrosion resistance, high toughness and longer durability. The promise to the blue sky is cast into every rebar, protecting every building and benefiting every homeland.

敬业蓝是什么 / What is JINGYE Blue

敬业蓝，是敬业集团献给时代的绿色钢筋答案，是加钒不生锈的工艺革新，是高强抗震的品质坚守，是绿色低碳的责任担当，是全球重点工程信赖的硬核实力。敬业蓝，不止是钢筋，更是一片蓝天的承诺，一种不平凡的坚守。

JINGYE Blue is JINGYE Group's green rebar answer to the era, it is a technological innovation of rust-free with vanadium addition, it is a quality commitment to high strength and seismic resistance, it is a responsibility of green and low-carbon development, it is the core strength trusted by global key projects. JINGYE Blue is more than just rebar; it is a promise of blue sky and an extraordinary perseverance.

敬业集团简介 / Introduction to JINGYE Group

敬业集团是以钢铁为主业，兼营钢材深加工、增材制造3D打印、新能源、机器人、国际贸易、康养旅游的国际化集团公司。下辖本部钢铁、营口中板、乌兰浩特钢铁、广东敬业钢铁、广东粤北钢铁、华西特钢、江苏敬业钢铁等生产基地，现有员工40000名。2025年集团销售收入3691亿元，全国500强企业名列74位，《财富》世界500强排名292位。

JINGYE Group is an international conglomerate primarily engaged in steel production, with diversified operations including deep processing of steel products, additive manufacturing 3D printing, new energy, robot, international trade, and health tourism. It has production bases including the headquarters steel base, Yingkou Medium Plate, Ulanhot Steel, Guangdong Jingye Steel, Guangdong Yuebei Steel, Huaxi Special Steel, Jiangsu Jingye Steel, etc., with 40,000 employees. In 2025, the group's sales revenue reached 369.1 billion yuan, ranking 74th among China's top 500 enterprises and 292nd on the Fortune Global 500 list.

获评
AWARDED钢铁企业竞争力A+级极强企业
A+ Level Extremely Strong Enterprise in Steel
Enterprise Competitiveness企业信用评价AAA级信用企业
AAA Level Credit Enterprise in Corporate
Credit Evaluation环保绩效A级企业
Grade A Enterprise for
Environmental Performance


公司拥有国家企业技术中心、博士后工作站，注重创新研发，主要产品有棒线材、宽厚板、热卷板、冷轧及涂镀产品，是国家高新技术企业。敬业集团由制造业向制造服务业转型，贯彻落实“做好产品是最好的为客户服务”理念，公司通过ISO9001、ISO14001认证，产品获得十国船级社认证、欧盟CE认证、绿色产品认证等。集团实施国际化战略，做全球钢材和金属制品供应服务商，在全球32个国家设立分公司和办事机构，产品出口到130多个国家和地区，广泛应用于船舶、海洋工程、汽车、家电及新能源等领域，并应用到华能山东半岛海上风电项目、国家管网川气东送项目、孟加拉帕德玛大桥等国内外重点工程建设中，被中国中铁、中国路桥、中船集团、达门集团、三星重工等知名企业列为优秀供应商。

The company has a National Enterprise Technology Center and a postdoctoral research station, focusing on innovation and research and development. Its main products include bars and wires, wide and thick plates, hot-rolled plates, cold-rolled and coated products, and it is recognized as a national high-tech enterprise. JINGYE Group is transforming from manufacturing to manufacturing services, implementing the concept of "making quality products is the best way to serve customers". The company has obtained ISO9001 and ISO14001 certifications, and its products have received certifications from ten national classification societies, EU CE certification, and green product certification. The group implements an international strategy, aiming to be a global supplier of steel and metal products. It has established branches and offices in 32 countries, with products exported to more than 130 countries and regions, widely applied in shipbuilding, offshore engineering, automotive, home appliances, and new energy fields. Its products are also used in key domestic and international projects such as the Huaneng Shandong Peninsula Offshore Wind Power Project, the National Pipeline Network Sichuan-to-East Gas Transmission Project, and the Padma Bridge in Bangladesh. The company is recognized as an excellent supplier by well-known enterprises including China Railway, China Road and Bridge Corporation, China State Shipbuilding Corporation, Damen Shipyards Group, and Samsung Heavy Industries.



敬业集团拥有18条棒线材生产线，是全球大型螺纹钢生产基地，国家高强钢筋生产示范企业。集团采用行业内先进设备，棒线轧机为高刚度短应力线轧机，生产中添加硅锰、钒氮等高合金，采用不穿水工艺轧制，钢筋外观颜色呈蓝色，产品不易生锈，性能更加稳定。产品覆盖400、500、600、630强度级别，规格有 $\phi 6\text{mm}$ - $\phi 16\text{mm}$ 盘螺、 $\phi 10\text{mm}$ - $\phi 50\text{mm}$ 直螺，常规尺寸为9米、12米，并可根据客户需求定制生产，精准适配各类施工场景。其中，高强抗震螺纹钢代表钢种HRB600/E、HRB630/E有多方面优势：安全性能更高，能抵御结构变形与震动冲击；综合造价更低，比普通螺纹钢减小布筋密度，降低约34%用钢量，帮用户降低约10%综合成本；构件截面设计更小，实现“瘦梁薄柱”，从而释放更多的建筑使用空间；环保性能更高，减少钢材用量直接降低了铁矿石、煤炭消耗和二氧化碳排放，符合国家“双碳”战略和绿色建筑的发展方向。

JINGYE Group has 18 bar and wire rod production lines, making it a large global rebar production base and a national demonstration enterprise for high-strength rebar production. The group adopts advanced equipment in the industry. The bar and wire rolling mill is a high-rigidity short-stress line rolling mill. High alloys such as silicon-manganese and vanadium-nitrogen are added in production, and the non-water-cooled process is adopted for rolling. The rebar is blue in appearance, not easy to rust, and has more stable performance. Products cover strength grades 400, 500, 600 and 630, with specifications including $\phi 6\text{mm}$ - $\phi 16\text{mm}$ coiled rebar and $\phi 10\text{mm}$ - $\phi 50\text{mm}$ straight rebar. The conventional sizes are 9 meters and 12 meters, and customized production is available according to customer needs, accurately adapting to various construction scenarios. Among them, the representative high-strength seismic rebar grades HRB600/E and HRB630/E have many advantages: Higher safety performance, able to resist structural deformation and vibration impact; lower overall cost: reduces reinforcement density by about 34% compared with ordinary rebar, helping customers reduce overall costs by about 10%; smaller component section design, realizing "slim beams and thin columns" to release more building use space; higher environmental performance: reducing steel consumption directly lowers iron ore and coal consumption and carbon dioxide emissions, in line with the national "dual carbon" strategy and the development direction of green buildings.



产品覆盖 400、500、600、630 强度级别

$\phi 6\text{mm}$ - $\phi 16\text{mm}$
盘螺规格

$\phi 10\text{mm}$ - $\phi 50\text{mm}$
直螺规格

9米-12米
常规尺寸



现有员工

40000 名

集团销售收入

3691 亿元

全国500强企业名列

74 位

《财富》世界500强排名

292 位

产品出口国家和地区

130 多个

棒线材生产线

18 条

敬业集团为客户提供全生命周期服务与个性化定制、一站式加工配送，以客户满意为唯一标准，用高于行业执行标准保障客户权益。未来，敬业集团将以科技创新、低碳环保为引领，深耕高端钢材领域，携手共创钢铁行业高质量发展新未来。

JINGYE Group provides customers with full-life-cycle services, personalized customization and one-stop processing and distribution. It takes customer satisfaction as the only standard and protects customer rights with higher-than-industry implementation standards. In the future, JINGYE Group will take technological innovation, low-carbon and environmental protection as the guide, deeply engage in the high-end steel field, and jointly create a new future of high-quality development for the steel industry.

核心价值 篇章二

加钒不平凡

CORE VALUE · EXTRAORDINARY WITH VANADIUM

敬业蓝，加钒不平凡 | 不平凡的工艺 · 不平凡的品质 · 不平凡的担当

JINGYE Blue, Extraordinary with vanadium

Extraordinary Craftsmanship · Extraordinary Quality · Extraordinary Responsibility

不平凡的工艺 · 钒合金化的科学密码

Extraordinary Craftsmanship · Scientific Code of Vanadium Alloying

钒，被誉为工业味精。敬业蓝采用不穿水微合金化工艺，精准添加钒元素，通过细晶强化、沉淀强化、固溶强化三重作用，从内部优化钢材组织结构，告别传统穿水工艺的性能短板，内外性能均匀一致，呈现独有的金属蓝色质感。

Vanadium is known as industrial MSG. JINGYE Blue deformed bar adopts the non-water-cooled microalloying process with precise vanadium addition. Through triple effects of grain refinement strengthening, precipitation strengthening and solid solution strengthening, it optimizes the steel structure internally, overcomes the performance shortcomings of the traditional water-cooled process, achieves uniform internal and external performance, and presents a unique metallic blue texture.



不平凡的品质 · 性能全面超越

Extraordinary Quality · Comprehensive Performance Surpassing

/ 01

耐腐蚀更强 Stronger Corrosion Resistance

加钒形成致密保护膜，有效抑制锈蚀，
锈蚀率减缓 45%+

Vanadium addition forms a dense protective film, effectively inhibiting corrosion, the corrosion rate is reduced by more than 45%



/ 02

Better Strength 强度更优

晶粒更细密，力学性能高于国标 30MPa
强度更足，大变形下不断裂

Finer grains, mechanical properties 30MPa higher than national standards, sufficient strength, no fracture under large deformation



/ 03

抗震更稳 More Stable Seismic Resistance

抗震性能提升 20%+

地震时耗能减震，守护建筑安全

Seismic performance improved by more than 20%, energy absorption and shock absorption during earthquakes, protecting building safety



/ 04

Better Weldability 焊接更佳

碳当量 $Ceq \leq 0.60\%$ ，实现 -10°C 低温可焊


Carbon equivalent $Ceq \leq 0.60\%$, realizing weldability at -10°C low temperature



“敬业蓝”螺纹钢 · 从生产到标准的极致追求

"JINGYE Blue" Rebar · The Ultimate Pursuit From Production To Standard

敬业集团年产铁钢材各千万吨，是全球大型螺纹钢生产基地。螺纹钢产品全部为高强钢筋，规格覆盖Φ6mm-Φ50mm，在9m、12m常规尺寸基础上，可进行定制生产。



JINGYE Group has an annual output of 10 million tons of iron and steel each, making it a large global rebar production base. All rebar products are high-strength bars, with specifications covering Φ6 mm - Φ50 mm. Customized production is available based on the conventional lengths of 9 m and 12 m.



“敬业蓝”螺纹钢5大优势 5 Advantages of "JINGYE Blue" Rebar



- “敬业蓝”螺纹钢工艺加钒不生锈。
"JINGYE Blue" rebar is rust-free with vanadium-added process.



- 国家重点工程保供专用钢。18条棒线生产线，规格齐全，央(国)企集采优选企业，一站集采全国覆盖。
Special steel for national key projects supply guarantee. 18 bar and wire production lines with complete specifications, preferred enterprise for central (state-owned) enterprise centralized procurement, one-stop national coverage.



- 现代化钢筋加工厂，提供一站式“加工+配送”服务。敬业原材供应，节能环保、省时省心。
Modern rebar processing plants providing one-stop "processing + distribution" service. JINGYE raw material supply, energy-saving, eco-friendly, time-saving and worry-free.



- 开启螺纹钢定制时代，提供“规格+材质+包装”专用钢，节约加工成本 10% 左右。
Initiating the rebar customization era, providing special steel with "specification + material + packaging", saving about 10% processing costs.



- 以客户为中心，专设 24 小时客服热线，实现售前、售中、售后全链条服务。
Customer-centric, with a dedicated 24-hour service hotline, realizing full-chain services before, during and after sales.

CNAS认可理化检测中心 CNAS Accredited Physical and Chemical Testing Center

敬业集团理化检测中心为国家认可理化检测中心，于2010年通过实验室质量管理体系CNAS权威认证，检测结果在全国范围内具有法律效力。

JINGYE Group Physical and Chemical Testing Center is a nationally accredited testing center. It passed the CNAS authoritative certification of laboratory quality management system in 2010, and the test results have legal effect nationwide.



强大的技术研发实力 Strong Technological R&D Strength



敬业集团拥有国家企业技术中心、国家认可实验室和博士后工作站，其中，有超百人的高精尖研发团队，高级职称及以上占比30%，硕博研究生占比65%。团队深耕纯净钢冶炼技术、钒微合金化、不穿水工艺、600MPa级以上的高强钢筋及双高棒核心技术，以持续创新优化产品性能，引领行业技术发展。荣获《冶金产品实物质量认定金杯奖》、《国家高强钢筋生产示范企业》等多项重磅荣誉。

JINGYE Group has a national Enterprise Technology Center, a national accredited laboratory and a post-doctoral workstation. It boasts a high-precision R&D team of over 100 people, with 30% holding senior professional titles or above, and 65% of whom hold master's or doctoral degrees. The team focuses on core technologies such as pure steel smelting, vanadium microalloying, non-water-quenched process, high-strength rebar above 600 MPa and high-strength high-precision bars, optimizing product performance through continuous innovation and leading industry technological development. It has received many prestigious honors such as "Golden Cup Award for Physical Quality Certification of Metallurgical Products" and "National Demonstration Enterprise for High-Strength Rebar Production".



先进生产技术 · 硬核支撑不凡品质

Advanced Production Technology · Hardcore Supports Extraordinary Quality

敬业集团工艺装备行业领先，构建起智能化、高精度、高效化的全流程现代化生产体系。集团配套现代化的LF精炼炉，满足高强度钢筋生产工艺需求；引进国际顶尖高速双高棒材精轧机组，稳定轧制速度45m/s；配备智能精准控温控轧系统，全流程精准控温，保障产品性能稳定；全自动精整线集成智能剪切、自动计数、打捆、机器人焊标等功能；搭配全自动拉伸试验机，质检效率提升3倍以上。实现高效、精准的规模化生产。

JINGYE Group has leading process equipment in the industry, building an intelligent, high-precision and efficient modern production system featuring intelligence, high precision and high efficiency. The group is equipped with a modern LF refining furnace to meet the production process requirements of high-strength rebar, the Group has introduced world-class high-speed dual high-speed bar finishing mill units with a stable rolling speed of 45 m/s; equipped with an intelligent precise temperature control and rolling system, realizing full-process precise temperature control and ensuring stable product performance; the fully automatic finishing line integrates intelligent cutting, automatic counting, bundling, robot welding marking and other functions; paired with a fully automatic tensile testing machine, the quality inspection efficiency is more than tripled. Achieving efficient, precise and large-scale production.

智能化

高精度

高效化



绿色精品高强钢筋 · 引领行业标准

Green Premium High-Strength Deformed Steel Bar · Leading Industry Standards



国家高强钢筋示范基地

牌号覆盖HRB600E/630E/650E

National High-Strength Rebar Demonstration Base,
covering grades HRB600E/630E/650E



节约用钢 **18%**
HRB500E 较 HRB400E
HRB500E saves 18%
steel compared with HRB400E

节约用钢 **34%**
HRB600E 较 HRB400E
HRB600E saves 34%
steel compared with HRB400E

节约用钢 **36.5%**
HRB630E 较 HRB400E
HRB630E saves 36.5%
steel compared with HRB400E

产品说明书

专业规范

篇章三

PRODUCT SPECIFICATION - PROFESSIONAL STANDARD

棒线常规产品目录

BAR WIRE CONVENTIONAL PRODUCT CATALOG

螺纹钢 Deformed steel bars			
产品名称 Product Name	牌号 Mark	规格 mm Specification mm	执行标准 Executive Standard
螺纹钢 Deformed steel bar	HRB400、HRB500	10-50	GB 1499.2
抗震螺纹钢 Anti-shock deformed steel bar	HRB400E、HRB500E		
英标螺纹钢 English standard deformed steel bar	B500B、B500C	10-50	BS4449
新标螺纹钢 New standard deformed steel bar	B500B	10-40	BS4449:2005/SS560
港标螺纹钢 Hong Kong standard deformed steel bar	500B	10-40	BS4449:2005/CS2
韩标螺纹钢 Korean standard deformed steel bar	SD400、SD500、SD600	10-32	KS D3504
韩标螺纹钢 Korean standard deformed steel bar	SD500S	19-25	KS D3504
澳标螺纹钢 Australian standard Deformed steel bar	500E、500N	12-36	AN/NZS 4671
哥斯达黎加螺纹钢 Costa Rica standard Deformed steel bar	Gr40,Gr60S,Gr60W	10-36	ASTM A615/A615M ASTM A706/A706M
美标螺纹钢 American Standard Deformed steel bar	Gr40、Gr60S、Gr60W	9.5-40	ASTM A615/A615M ASTM A706/A706M
高强螺纹钢 High strength rebar	HRB600	12-40	GB 1499.2
高强螺纹钢 High strength rebar	HRB600E、HRB630	12-40	Q/JY001

螺纹钢的重量及允许偏差 Weight and Permissible Deviation of Rebar

公称直径 (d/mm) Nominal Diameter (d/mm)	实际重量与理论重量的偏差 (η/%) Deviation between Actual Weight and Theoretical Weight (η/%)	备注: 测量钢筋重量偏差时, 试样应从不同根钢筋上截取, 端部用无齿锯切平, 数量为5支, 每支试样不小于500mm。长度应逐支测量, 应精确到1mm。测量试样总重量时, 应精确到1g。
6~12	±5.5	
14~20	±4.5	
22~50	±3.5	

Notes: When measuring the weight deviation of steel bars, specimens shall be cut from different steel bars with ends trimmed flat by hacksaws. A total of 5 specimens shall be taken, each no less than 500 mm in length. The length of each specimen shall be measured individually accurate to 1 mm. The total weight of specimens shall be measured accurate to 1 g.

各牌号钢筋力学性能 Mechanical Properties of Various Grades of Steel Bars

牌号 Mark	Rel (Mpa)	Rm (Mpa)	A (%)	Agt (%)	R _m /R _{el}	R _{el} /R _{el}
	不小于 Not less than				不大于 Not more than	
HRB400	400	540	16	7.5	--	--
HRB400E			--	9.0	1.25	1.30
HRB500	500	630	15	7.5	--	--
HRB500E			--	9.0	1.25	1.30
HRB600	600	730	14	7.5	--	--
HRB600E		750	--	9.0	1.25	1.30
HRB630	630	790	14	7.5	--	--
HRB630E			--	9.0	1.25	1.30
HRB650	650	820	14	7.5	--	--
HRB650E			--	9.0	1.25	1.30

备注: Notes:

(1) 公称直径28-40mm各牌号钢筋断后伸
长率A可降低1%，公称直径大于40mm各
牌号钢筋断后伸长率A可降低2%。
(2) 对于没有明显屈服强度的钢筋，屈服
强度特征值Rel应采用规定非比例延伸强
度Rp0.2。

(1) The percentage elongation after fracture A of steel bars of all grades with
nominal diameter of 28-40 mm may be reduced by 1%, and that of steel bars of
all grades with nominal diameter greater than 40 mm may be reduced by 2%.
(2) For steel bars without obvious yield strength, the characteristic value of
yield strength Rel shall adopt the specified non-proportional extension strength
Rp0.2.

三 各牌号钢筋化学成分 Chemical Composition of Various Grades of Steel Bars

牌号 Mark	熔炼成分（质量分数）%，不大于 Melting Composition (Mass Fraction) %, Not More Than					
	C	Si	Mn	P	S	Ceq
HRB400	0.25	0.80	1.60	0.045	0.045	0.54
HRB400E						0.55
HRB500						
HRB500E						
HRB600	0.28	0.80	1.60	0.045	0.045	0.58
HRB630						
HRB650						
HRB600E						
HRB630E						
HRB650E						

备注：钢筋化学成分允许偏差应符合GB/T222的规定，碳当量Ceq的允许偏差为+0.03%。
Notes: The permissible deviation of chemical composition of steel bars shall comply with the provisions of GB/T222, and the permissible deviation of carbon equivalent Ceq is +0.03%.

四 各牌号钢筋标识 Markings of Various Grades of Steel Bars

牌号 Mark	钢标标识（以公称直径12为例） Steel Standard Marking (Taking Nominal Diameter 12 as an Example)
HRB400	// 4 // 1 // 3 // 0 // 0 // 1 // J // Y // 1 // 2

HRB500	// 5 // 1 // 3 // 0 // 0 // 1 // J // Y // 1 // 2
HRB400E	// 4 // E // 1 // 3 // 0 // 0 // 1 // J // Y // 1 // 2
HRB500E	// 5 // E // 1 // 3 // 0 // 0 // 1 // J // Y // 1 // 2
HRB600	// 6 // 1 // 3 // 0 // 0 // 1 // J // Y // 1 // 2
HRB600E	// 6 // 0 // 0 // E // J // Y // 1 // 2
HRB630	// 6 // 3 // 0 // J // Y // 1 // 2
HRB630E	// 6 // 3 // 0 // E // J // Y // 1 // 2
HRB650	// 6 // 5 // 0 // J // Y // 1 // 2
HRB650E	// 6 // 5 // 0 // E // J // Y // 1 // 2

五 存储 / 搬运 / 使用规范 Bar wire conventional product catalog

存储 STORAGE	搬运 HANDLING	使用 USAGE	反馈 STORAGE
离地20CM、防雨防潮、 通风干燥 20 cm above the ground, rain and moisture proof, ventilated and dry.	禁用钩子直接吊运 吊装下方禁站人 No direct lifting with hooks; no standing under lifting objects.	匹配弯芯 规范焊接/套丝 Match bending cores, standardize welding/threading.	24 小时到场处理 客服/总经理热线双保障 On-site handling within 24 hours, dual guarantee of service hotline- general manager hotline.

六 各牌号弯芯选用标准 Selection Standard of Bending Mandrel for Each Grade

牌号 Mark	公称直径d/mm Nominal Diameter d/mm	弯曲压头直径D/mm Diameter of Bending Indenter D/mm
HRB400、HRB400E	6-25	4d
	28-40	5d
	>40-50	6d
HRB500、HRB500E、HRB600 HRB600E、HRB630、HRB630E、 HRB650、HRB650E	6-25	6d
	28-40	7d
	>40-50	8d

工程信赖 篇章四 铸就百年根基

ENGINEERING TRUST, FORGING A CENTURY-LONG FOUNDATION

工程地图·中国标杆

Engineering Map · Benchmark of China



北京大兴国际机场
Beijing Daxing International Airport

敬业供货占比85%
国家门户，用敬业蓝筑造稳固根基。
JINGYE supplies account for 85%
National gateway, build a solid foundation
with JINGYE Blue.



雄安新区
Xiongan New Area

敬业供货占比85%以上
国家千年大计，北京非首都功能疏解
集中承载地。
JINGYE supplies account for over 85%
The national millennium plan, and the cen-
tralized carrier for the relief of Beijing's
non-capital functions.



石家庄地铁
Shijiazhuang Metro

敬业供货占比100%
城市交通动脉，高强抗震保障运营安全。
JINGYE supplies account for 100%
Urban transportation arteries, high-strength
seismic resistance ensuring operational
safety.



三峡工程
Three Gorges Project

**国家级民生工程，耐久耐腐蚀性能
经受长期考验。**
National livelihood projects, durable and cor-
rosion-resistant performance tested for a
long time.



雄忻高铁
Xiongxin High-Speed Railway

供钢材超 50 万吨，筑牢高铁脊梁。
Supplied over 500,000 tons of steel to under-
pin the backbone of high-speed railways.



迁曹铁路
Qian'an-Caofeldian Railway

**国家级能源通道，重载高效运力彰显
硬核实力。**
National energy channel, heavy-haul and
efficient transport capacity demonstrates
strong strength.

工程地图·全球典范

Engineering Map · Global Model



巴基斯坦卡拉奇核电站
Karachi Nuclear Power Station, Pakistan

核电工程严苛标准，品质零差错。
Strict standards for nuclear power projects, zero quality defects.



文莱跨海大桥
Brunei Sea-crossing Bridge

海洋高盐环境，耐腐蚀性能突出。
Marine high-salt environment, outstanding corrosion resistance.



巴拿马运河四桥
Fourth Bridge of Panama Canal

黄金水道，世界桥梁。
Golden Waterway, World Bridge.



智利鲁凯威水电站
Ruikaiwei Hydropower Station, Chile

河谷多湿环境，抗冲击耐磨性能优异。
Chile Rucúe Hydroelectric Station: Valley humid environment,
excellent impact resistance and wear resistance



塞内加尔恩达亚港
Port of Ndaya, Senegal

港口重载工况，结构强度可靠。
Port heavy-load working conditions, reliable structural strength.



柬埔寨摩根大厦
Morgan Building, Cambodia

超高层地标建筑，用材稳定安全。
Super high-rise landmark building, stable and safe materials.

实力背书 篇章五

荣誉与合作

STRENGTH ENDORSEMENT · HONORS & COOPERATION



螺纹钢金杯奖证书
Golden Cup Award for Rebar



AAAAA级钢材产品放心品牌认证
AAAAA-level Trusted Brand Certification for Steel Products



国家认可实验室证书
National Accredited Laboratory Certificate



环境管理体系认证证书
Environmental Management System Certificate



敬业钢铁绿色产品认证证书
Certificate for Green Product Certification of JINGYE Group



质量管理体系认证证书
Quality management system Certificate



澳标螺纹钢认证证书
Australian Standard Rebar Certification Certificate



韩标螺纹钢认证证书
Korean Standard Rebar Certification Certificate



英标螺纹钢认证证书
British Standard Rebar Certification Certificate

战略合作伙伴

STRATEGIC PARTNER



央企集采优选，全球知名企业信赖

Preferred for central enterprise centralized procurement, trusted by world-renowned enterprises

服务承诺 篇章六

客户至上

SERVICE COMMITMENT · CUSTOMER FIRST



服务客户五大承诺

Five Major Commitments to Serving Customers

五个100%

Five 100% Guarantees



交货数量100%，交货时间100%，产品质量100%
开票100%，退款100%
100% Delivery Quantity, 100% Delivery On Time, 100% Product Quality,
100% Invoicing, 100% Refund

质量无忧

Worry-Free Quality



质量不满意任何时候允许退款
Refund allowed at any time if dissatisfied with product quality

全周期服务

Full-cycle Service



服务产品生命全周期，环环周到，提供超值服务
Serve the entire life cycle of products with thoughtful procedures at every link
and deliver premium value-added services

个性化定制

Personalized Customization



提供个性化定制服务，满足客户需求
Provide personalized customized services to meet customer demands

高标准保障

High-Standard Protection



客户的认可、客户的满意是产品唯一标准
以高于行业的执行标准保障客户权益
Customer recognition and satisfaction are the sole criteria for products, and
customer rights and interests are guaranteed by implementation standards
higher than the industry norms.

全球服务 篇章六

高效响应

GLOBAL SERVICE · EFFICIENT RESPONSE

- 18条生产线
18 production lines
- 海外仓库
Overseas Warehouses
- 全球办事处
Global Offices

生产基地

Production Bases

石家庄、营口、乌兰浩特、揭阳、连云港等全产业链布局

Full industrial chain layout in Shijiazhuang, Yingkou, Ulanhot, Jieyang, Lianyungang and other cities.

海外网络

Overseas Network

32国分公司 / 办事处，130多国出口，海外仓就近配送

Branches/offices in 32 countries, exports to over 130 countries, overseas warehouses for nearby distribution

一站式服务:

One-stop Service:

加工+配送
Processing + distribution

24小时客服:(86)0311-966666
24-hour service hotline

7×24小时快速响应
24/7 Rapid Response

18条产线:13棒5线

18 production lines: 13 bar lines and 5 wire-rod lines

7条

敬业钢铁
有限公司
JINGYE Iron and
Steel Co., Ltd. 7 Lines

2条

乌兰浩特钢铁
有限责任公司
Ulanhot Iron and
Steel Co., Ltd. 2 Lines

1条

广东敬业钢铁
有限责任公司
Guangdong JINGYE Iron and
Steel Co., Ltd. 1 Line

2条

广东粤北联合钢铁
有限公司
Guangdong Yuebei United Iron
and Steel Co., Ltd. 2 Lines

3条

江苏敬业钢铁
有限责任公司
Jiangsu JINGYE Iron and
Steel Co., Ltd. 3 Lines

3条

敬业(营口)中板
有限公司
JINGYE (Yingkou) Medium
Plate Co., Ltd. 3 Lines